




Sweden
Product Catalogue 2019



Genesis
For the Perfect Finish

TEBO[®]

Our Story



Milestones





Page 2-23
Commercial
Nosing



Page 24-31
Step Edges



Page 32-45
Vision



Page 46-53
Anti-Slip, Matting
& Access



Page 54-63
Transitions,
Covers & Ramps



Page 64-71
Movement Joints



Page 72-75
Structural Joints



Page 76-82
P.V.C Trim



Page 83-85
Flexibles



Page 86-89
Luxe




Page 90-109
Metal Trim
& Listello



Pg 110-113
Panel Profiles



Page 7



Page 26



Page 32-47



Page 49



Page 87



Page 88



Page 89



Page 96



Page 111



Genesis

For the Perfect Finish

Check out what is new for 2019

This is just a selection of what is new for this year. All new products are indicated throughout the catalogue.



Commercial Nosing



We offer you a combination of profiles to suit all types of stairs and installation requirements. Carpet, laminate, tile or vinyl solutions can be found and we even produce bespoke profiles and offer comprehensive drilling, forming and finishing services.

Excellent technical support for installations and materials is available.

Over **100,000 injuries** are reported on non-domestic stairs each year and the latest HSE figures show that **100 deaths** result directly from falls and trips on stairs.

LRV's – Clarification

Reflectance is the proportion of light that a surface reflects compared to the amount or volume of light that falls on the said surface. An LRV is a value given to a surface to identify the amount of light reflected. People with impaired vision can perceive light and dark, therefore LRV's are a suitable method to measure contrast between 2 different surfaces.

Note that dark, matt or textured surfaces absorb a large amount of light, therefore have low reflectance values, however a combination of one or all light, shiny or smooth surfaces reflect the majority of light and therefore have higher reflectance values.

In order to achieve a suitable contrast between different surfaces, ADM 2004 recommend at least a 30 point difference in the LRV's of the two contrasting surfaces.

Please note the RAL numbers in the above table is a guide only and cannot guarantee an exact match as there are a number of variables within the manufacturing process.

Genesis Finish	LRV	RAL
01 White	79.9	9003
16 Black	4.5	9004
20 Brown	9.1	8014
25 Beige	41.1	1001
27 Canvas	53.2	1013
28 Green	6.3	6005
30 Red	10.6	3031
43 Dolphin Grey	27.6	7042
44 Ice Grey	42.1	7001
46 Midnight Grey	12.8	7024
47 Yellow	55.7	1018
48 Cobalt Blue	9.2	5000
52 Lime	30.4	6011
54 Saffron		1017
109 Sky Blue	13.5	5015
113 Tangerine		2000
601 White	82.7	9003
616 Black	4.8	9004
643 Mid Grey	18.3	7000
647 Yellow	46.1	1012

Nosing Insert Slip Resistance

Slip-resistance tests have been independently undertaken by Lucideon Ltd using the pendulum and inclined platform test.

Inclined Platform Test DIN 51130:2010

The critical angle at which a test person reaches the limit of safe walking on an inclined plane is used as a measure of slip resistance.

Pendulum Test BS 7976-2:2002

The energy absorbed by contact with the pre-set distance is read from a physical scale by a pointer that follows the overswing of the pendulum arm. 12 results are averaged to give the final pendulum number which is used to categorise the tile surface.

Results

Insert	Inclined Platform Test DIN 51130:2010*	Category	Pendulum Test BS 7976-2:2002#	
			Dry	Wet
Standard	22.9°	R11	66	54
Tredsafe®	24.7°	R11	57	47

*Average of Six Shod Results (Corrected)

#PTV Average Value

The UK slip resistance group recommends the following guidelines;




PTV	Slip Potential
0-24	High
25-35	Moderate
36+	Low

Drilling Instructions

Drill using Genesis countersunk drill bit

Start 75mm from one end and set all holes equally as indicated for single and double channel.

Length	No. of Holes
600 - 699	2
700 - 1049	3
1050 - 1399	4
1400 - 1749	5
1750 - 2099	6
2100 - 2449	7
2450 - 2799	8
2800 - 3220	9



Installation - Mechanical Fix



1
Prepare surface, it must be clean, smooth and free of debris.



2
Position the profile, check the fit and mark the drill holes.



3
Drill and Plug to suit the screw size.



4
Apply adhesive as per manufacturer's instructions.



5
Position onto step.



6
Mechanically fix.



7
Insert plug.




8
Remove protective film when applicable.

If fixing inserts separate follow steps 1 – 6, remove release paper from channel and position insert ends flush applying pressure towards the centre finishing with hand roller to ensure adhesion.

Installation - Adhesive




1
Prepare surface, it must be clean, smooth and free of debris.



2
Apply 5mm bead to the underside of the profile, 2 lines for Single and 3 for double channel.



3
Position, press and slide to ensure full bond.



4
Allow min. 1 hour after fixing. It is the contractor's responsibility to ensure the bond is secure before opening the area.

Installer must follow individual manufacturers guidelines



Insert quick reference guide



Insert	LRV	NSL		ASL		NHD		AHD		NTC/S	ATC/S	NXF/S	LNR	P.V.C
		SINGLE	DOUBLE	SINGLE	DOUBLE	SINGLE	DOUBLE	SINGLE	DOUBLE					
Standard														
01 White	79.9	○	○	○	○	○	○	○	○	○	○		○	○
16 Black	4.5	●	●	●	●	●	●	●	●	●	●	●	●	●
20 Brown	9.1	●	●	●	●	●	●	●	●	●	●		●	●
25 Beige	41.1	●	●	●	●	●	●	●	●	●	●		●	●
27 Canvas	53.2	●	●	●	●	●	●	●	●	●	●		●	●
28 Green	6.3	●	●	●	●	●	●	●	●	●	●		●	●
30 Red	10.6	●	●	●	●	●	●	●	●	●	●		●	●
43 Dolphin Grey	27.6	●	●	●	●	●	●	●	●	●	●		●	●
44 Ice Grey	42.1	●	●	●	●	●	●	●	●	●	●	●	●	●
46 Midnight Grey	12.8	●	●	●	●	●	●	●	●	●	●		●	●
47 Yellow	55.7	●	●	●	●	●	●	●	●	●	●	●	●	●
48 Cobalt Blue	9.2	●	●	●	●	●	●	●	●	●	●		●	●
52 Lime	30.4	●				●				●			●	●
54 Saffron <small>NEW</small>		●												●
109 Sky Blue	13.5	●	●	●	●	●	●	●	●	●	●		●	●
113 Tangerine		●												●
Tredsafe®														
601 White	82.7	●	●	●	●	●	●	●	●	●	●		●	●
616 Black	4.8	●	●	●	●	●	●	●	●	●	●		●	●
643 Dolphin Grey	18.2	●	●	●	●	●	●	●	●	●	●		●	●
647 Yellow	46.1	●	●	●	●	●	●	●	●	●	●		●	●
NIA50														
80 Mill Aluminium	78.9					●				●			●	
P.V.C Channel														
16 Black														●
Anodising														
16 Black		●	●	●	●	●	●	●	●			●	●	
81 Matt Silver		●	●	●	●	●	●	●	●			●	●	
86 Bright Brass		●	●	●	●	●	●	●	●			●		
91 Bright Silver		●	●	●	●	●	●	●	●			●		

Standard - NISL38

Insert	Fits	External
NISL38	NSL Twin Channel	No



Standard - NISL50

Insert	Fits	External
NISL50	NSL Single Channel	No



Standard - NIHD38

Insert	Fits	External
NIHD38	NHD Twin Channel	No




Standard - NIHD50

Insert	Fits	External
NIHD50	NHD Single Channel	No




Tredsafe® - NITR38

Insert	Fits	External
NITR38	NSL, NHD Twin Channel	Yes




Tredsafe® - NITR50

Insert	Fits	External
NITR50	NSL, NHD Single Channel	Yes



Castellated - NIA50

Insert	Fits	External
NIA50	NHD Single Channel	No





Spanish City - Whitley Bay NSL19 / NHD08

Project Specifications


Product Specified: NSL19 / NHD08
Colour Specified: Bespoke bronze finish with a brown insert
Sector: Hospitality



Project Description

Originally completed in 1910, 'The Dome' became a hub of activity and interest, not only because it was home to many attractions, but because of its stunning architecture and unique design.

Almost 18 years after the venue's final closure, Spanish City reopens following a restoration project that sees historical features brought back to their former glory and the introduction of new leisure facilities including; family-friendly venues, a fine dining restaurant, tearooms, event spaces and a champagne bar taking residence inside the famous landmark.




Tradition was key in this renovation project and the need for hard wearing stair nosings that would prevent slips but still not look out of place were a must have.

The nosings were finished in a bespoke bronze with a brown infill in-order to keep to traditional look and feel of the building. NHD08 has been used on the round edged steps to give full protection to the step edges and NSL19 has been used on the traditional straight edged steps.

Frontier NXF/S

Available in 2.77m Standard Lengths.



Channel NXF




Channel NXFS



Anodising - Maximum length 3m

Please note; anodising is not a stock item - lead times apply



Standard Insert



Insert LRV NXF N XFS



Standard

Insert	LRV	NXF	N XFS
16 Black	4.5		
44 Ice Grey	42.1		
47 Yellow	55.7		

Anodising

16 Black		
81 Matt Silver		
86 Bright Brass		
91 Bright Silver		


NXF/S Rigid & Flexible






Slimline Aluminium Nosings

Available in 2.46m, 2.77m, 3.22m Standard Lengths.




Channel




Anodising - Maximum length 3m


Please note; anodising is not a stock item - lead times apply



Standard Insert



Tredsafe® Insert



Insert	LRV	SINGLE	DOUBLE
--------	-----	--------	--------

Standard

01 White	79.9		
16 Black	4.5		
20 Brown	9.1		
25 Beige	41.1		
27 Canvas	53.2		
28 Green	6.3		
30 Red	10.6		
43 Dolphin Grey	27.6		
44 Ice Grey	42.1		
46 Midnight Grey	12.8		
47 Yellow	55.7		
48 Cobalt Blue	9.2		
52 Lime	30.4		
54 Saffron	NEW		
109 Sky Blue	13.5		
113 Tangerine			

Tredsafe®

601 White	82.7		
616 Black	4.8		
643 Dolphin Grey	18.2		
647 Yellow	46.1		

Anodising

16 Black			
81 Matt Silver			
86 Bright Brass			
91 Bright Silver			

Standard




Tredsafe®




Aluminator® Slimline Aluminium Nosings

Available in 2.46m, 2.77m, 3.22m Standard Lengths.



Channel




Anodising - Maximum length 3m


Please note; anodising is not a stock item - lead times apply



Standard Insert





























Tredsafe® Insert











Insert	LRV	SINGLE	DOUBLE
--------	-----	--------	--------


Standard

01 White	79.9		
16 Black	4.5		
20 Brown	9.1		
25 Beige	41.1		
27 Canvas	53.2		
28 Green	6.3		
30 Red	10.6		
43 Dolphin Grey	27.6		
44 Ice Grey	42.1		
46 Midnight Grey	12.8		
47 Yellow	55.7		
48 Cobalt Blue	9.2		
109 Sky Blue	13.5		

Tredsafe®

601 White	82.7		
616 Black	4.8		
643 Dolphin Grey	18.2		
647 Yellow	46.1		


Anodising

16 Black			
81 Matt Silver			
86 Bright Brass			
91 Bright Silver			

Standard




Tredsafe®



Heavy Duty Aluminium Nosings

Available in 2.46m, 2.77m, 3.22m Standard Lengths.



NNL01 Carpet Connector*

NNL02 Ramp Connector*


*Available in 3.22m Standard Lengths only

Channel




Anodising - Maximum length 3m


Please note; anodising is not a stock item - lead times apply



Standard Insert



Tredsafe® Insert



NIA50 Insert



Insert	LRV	SINGLE	DOUBLE
--------	-----	--------	--------

Standard

01 White	79.9		
16 Black	4.5		
20 Brown	9.1		
25 Beige	41.1		
27 Canvas	53.2		
28 Green	6.3		
30 Red	10.6		
43 Dolphin Grey	27.6		
44 Ice Grey	42.1		
46 Midnight Grey	12.8		
47 Yellow	55.7		
48 Cobalt Blue	9.2		
52 Lime	30.4		
109 Sky Blue	13.5		

Tredsafe®

601 White	82.7		
616 Black	4.8		
643 Dolphin Grey	18.2		
647 Yellow	46.1		


NIA50

80 Mill Aluminium	78.9		
-------------------	------	--	--


Anodising

16 Black			
81 Matt Silver			
86 Bright Brass			
91 Bright Silver			


Standard



Tredsafe®




NIA50




Aluminator® Heavy Duty Nosings

Available in 2.46m, 2.77m, 3.22m Standard Lengths.



Channel




Channel (AHD23)




Anodising - Maximum length 3m


Please note; anodising is not a stock item - lead times apply



Standard Insert





























Tredsafe® Insert











Insert	LRV	SINGLE	DOUBLE
--------	-----	--------	--------







Standard

01 White	79.9		
16 Black	4.5		
20 Brown	9.1		
25 Beige	41.1		
27 Canvas	53.2		
28 Green	6.3		
30 Red	10.6		
43 Dolphin Grey	27.6		
44 Ice Grey	42.1		
46 Midnight Grey	12.8		
47 Yellow	55.7		
48 Cobalt Blue	9.2		
109 Sky Blue	13.5		


Tredsafe®

601 White	82.7		
616 Black	4.8		
643 Dolphin Grey	18.2		
647 Yellow	46.1		


Anodising

16 Black			
81 Matt Silver			
86 Bright Brass			
91 Bright Silver			

Standard




Tredsafe®




Hard Nose P.V.C Available in 3.22m lengths

Heavy Duty




Slimline



Channel




Standard Insert



*Slimline only

Tredsafe® Insert



Insert	LRV	P.V.C
--------	-----	-------

Standard

01 White	79.9	<input type="checkbox"/>
16 Black	4.5	<input checked="" type="checkbox"/>
20 Brown	9.1	<input type="checkbox"/>
25 Beige	41.1	<input type="checkbox"/>
27 Canvas	53.2	<input type="checkbox"/>
28 Green	6.3	<input type="checkbox"/>
30 Red	10.6	<input type="checkbox"/>
43 Dolphin Grey	27.6	<input type="checkbox"/>
44 Ice Grey	42.1	<input type="checkbox"/>
46 Midnight Grey	12.8	<input type="checkbox"/>
47 Yellow	55.7	<input type="checkbox"/>
48 Cobalt Blue	9.2	<input type="checkbox"/>
52 Lime	30.4	<input type="checkbox"/>
54 Saffron <small>NEW FINISH</small>		<input type="checkbox"/>
109 Sky Blue	13.5	<input type="checkbox"/>
113 Tangerine		<input type="checkbox"/>


Tredsafe®

601 White	82.7	<input type="checkbox"/>
616 Black	4.8	<input checked="" type="checkbox"/>
643 Dolphin Grey	18.2	<input type="checkbox"/>
647 Yellow	46.1	<input type="checkbox"/>

P.V.C Channel

16 Black	<input checked="" type="checkbox"/>
----------	-------------------------------------


Standard



Tredsafe®



Stair Edge Trim Pre-Formed / Landing Strip




Code	D (mm)	Length (mm)	Finish	Style	Box Qty
NSA290	42	350	16,80	Straight	10
NSA283	42	350	16,80	Rakeback	10
NTL1	42	2500	16,80		10

Finish 16 is P.V.C. Finish 80 is Aluminium



Stair Edge Trim Clips

Code	D (mm)	Pack Qty
NTAB1	4.5 / 7	Dual Height 20



Side Profile of NSA/NTL with NTAB1



Portsmouth Library - NHD11

Project Specifications

Product Specified: NHD11
Insert Specified: Beige
Sector: Education


Project Description

Genesis NHD11 Stair Nosing with Beige infill was installed at Portsmouth's Central Library in December 2010. The library is one of the cultural highlights of the city with its Guggenheim-esque architecture and third floor arts venue; this meant keeping the stairs modern and safe too. The double channel design gives extra tread area with Genesis' Beige non slip insert contrasts the floor covering to ensure definition of the step edge and complies with BS8300:2009 and Approved Document M (ADM).



Templates/Curves


Stair casings can be made to fit most irregular shapes and curves. However each curved step must be treated individually and a separate template made for each using card, felt or paper. Follow these three simple steps as an easy guide to the perfect edge.



Step 1

Place the card or felt on top of the curve that requires a template and draw a line underneath with a felt pen or marker (see Figure 1) following the edge of the curve to create a smooth line.


Figure 1



Step 2

Cut the shape along the felt pen mark (Figure 2) and clearly indicate the top and front edge of the template.


Figure 2



Step 3

Clearly mark on the template, the customer name and reference, the profile required, the colour insert required and finally whether your curve is required drilled or undrilled (Figure 3).

Figure 3



For assistance with any aspect of measuring or making templates please speak to Technical Services.


Not available for NXF/S, NTC, ATC or Vision

Step Edges



Stair Nosings are not only a requirement in commercial installations they are highly recommended on all stair cases even if building regulations don't apply, whether it is tile, vinyl, wood or laminate the longevity and appearance of the floor can be extended with the use of a step edge and the Genesis range has all the options. Offering anti-slip and decorative solutions with an array of installation options and materials.

Heavy Duty Ceramic Tile-In Edges



Channel




NIA50 Insert



Standard Insert



Tredsafe® Insert



Code	D (mm)	Length (m)	Finish	Box Qty
NTC100	10	3.22	81	10
NTC125	12.5	3.22	81	10
ATC100	10	3.22	81	10
ATC125	12.5	3.22	81	10

Insert	LRV	NTC	ATC
--------	-----	-----	-----

Standard

01 White	79.9		
16 Black	4.5		
20 Brown	9.1		
25 Beige	41.1		
27 Canvas	53.2		
28 Green	6.3		
30 Red	10.6		
43 Dolphin Grey	27.6		
44 Ice Grey	42.1		
46 Midnight Grey	12.8		
47 Yellow	55.7		
48 Cobalt Blue	9.2		
52 Lime	30.4		
109 Sky Blue	13.5		


Tredsafe®

601 White	82.7		
616 Black	4.8		
643 Dolphin Grey	18.2		
647 Yellow	46.1		


NIA50

80 Mill Aluminium	78.9		
-------------------	------	--	--

Standard




Tredsafe®



NIA50




Slimline Ceramic Tile-In Edges




Channel



Standard Insert




Tredsafe® Insert




Code	D (mm)	Length (m)	Finish	Box Qty
NTS100	10	3.22	81	10
NTS125	12.5	3.22	81	10
ATS100	10	3.22	81	10
ATS125	12.5	3.22	81	10

Insert	LRV	NTS	ATS
Standard			
01 White	79.9		
16 Black	4.5		
20 Brown	9.1		
25 Beige	41.1		
27 Canvas	53.2		
28 Green	6.3		
30 Red	10.6		
43 Dolphin Grey	27.6		
44 Ice Grey	42.1		
46 Midnight Grey	12.8		
47 Yellow	55.7		
48 Cobalt Blue	9.2		
109 Sky Blue	13.5		
Tredsafe®			
601 White	82.7		
616 Black	4.8		
643 Dolphin Grey	18.2		
647 Yellow	46.1		




Standard



Tredsafe®





Aluminium Retro-Fit





Code	W x D (mm)	Length (m)	Finish	Box Qty
NRA50	50 x 30	2.77	80	10

Aluminium Self Adhesive Retro-Fit




Code	W x D (mm)	Length (m)	Finish	Box Qty
NAS207	30 x 20	2.7	40,81,83	10
NAS209	30 x 20	0.9	40,81,83	10
NAS107	25 x 10	2.7	40,81,83	10
NAS109	25 x 10	0.9	40,81,83	10

Aluminium Nosing with Black Rubber Insert




Code	W x D (mm)	Length (m)	Finish	Box Qty
NRE05	54 x 30	2.7	16 (81 Matt Silver Channel)	10

Aluminium Tile-In




Code	W x D (mm)	Length (m)	Finish	Box Qty
NLM103	26 x 10	3	81	10
NLM123	26 x 12	3	81	10

Aluminium Formable 2 in 1




Code	W x D (mm)	Length (m)	Finish	Box Qty
NFA125	3 x 10/12	2.6	81,91	20

Aluminium Tile-In Bullnose




Code	D (mm)	Length (m)	Finish	Box Qty
NAT105	10	2.6	81,91	20
NAT125	12	2.6	81,91	20

Aluminium Stair Grip + PVC Top and End Caps




Code	W x D (mm)	Length (m)	Finish	Box Qty
NIB106	30 x 10	2.5	16,35	10
NIB126	30 x 12	2.5	16,35	10
End Caps				
Code	Description	Finish		Pack Qty
NUC102	Pair of universal end caps	16,35		2

Aluminium Tile-In with Carbide Insert




Code	D (mm)	Length (m)	Finish	Box Qty
NLC106	10	2.6	81	10
NLC126	12.5	2.6	81	10

Stainless Steel Tile-In Nosing



Code	D (mm)	Length (m)	Finish	Box Qty
NSS106	10	2.5	84	10
NSS126	12	2.5	84	10

Aluminium Tile-In Step Edge



Code	W x D (mm)	Length (m)	Finish	Box Qty
NLT108	19 x 10	2.8	81	10
NLT128	19 x 12.5	2.8	81	10



vision

The Vision range is the latest innovative product in our portfolio. Vision is comprised of both commercial and domestic profiles with an option of illumination – RGB or three shades of white. Each lighting system has its own benefits and our sales team is here to help with your requirements – contact us for more information.

VISION

LED & Lighting





Vision offers a range of premium profiles for commercial and domestic applications, designed to protect and inspire with variable mood accents

The range is specifically designed to accept universal LED systems, RGB and FlatLite® for Steps, Listello, Edges and Skirting offering unlimited freedom of design.


Developed with simplicity in mind, the range of supporting hardware offers the most frequently installed systems with Polycarbonate Diffusers that eliminate the hotspots.

- 220 & 110V Drivers
- Durable aluminium carriers
- Efficient LED 4.8W or 9.6W per metre
- Average lifespan 40,000 Hours
- Simple installation and selection
- 25mm Cutting Intervals
- IP65 Certified LED and RGB
- 120 LED's per metre
- UL approved diffusers
- Enhanced safety
- Manufactured to A-A++ energy rating
- Remote control options compatible with iPhone and Android devices
- 3M VHB adhesive backing




Vision - Light Out


NEW PRODUCT



Standard Insert




Tredsafe® Insert



Insert	LRV	SINGLE
Standard		
01 White	79.9	<input type="checkbox"/>
16 Black	4.5	<input type="checkbox"/>
20 Brown	9.1	<input type="checkbox"/>
25 Beige	41.1	<input type="checkbox"/>
27 Canvas	53.2	<input type="checkbox"/>
28 Green	6.3	<input type="checkbox"/>
30 Red	10.6	<input type="checkbox"/>
43 Dolphin Grey	27.6	<input type="checkbox"/>
44 Ice Grey	42.1	<input type="checkbox"/>
46 Midnight Grey	12.8	<input type="checkbox"/>
47 Yellow	55.7	<input type="checkbox"/>
48 Cobalt Blue	9.2	<input type="checkbox"/>
52 Lime	30.4	<input type="checkbox"/>
54 Saffron		<input type="checkbox"/>
109 Sky Blue	13.5	<input type="checkbox"/>
113 Tangerine		<input type="checkbox"/>
Tredsafe®		
601 White	82.7	<input type="checkbox"/>
616 Black	4.8	<input type="checkbox"/>
643 Dolphin Grey	18.2	<input type="checkbox"/>
647 Yellow	46.1	<input type="checkbox"/>
Anodising		
81 Matt Silver		<input type="checkbox"/>

Standard



Tredsafe®



Lighting System

Vision LED	<input type="checkbox"/>
Vision CCT	<input type="checkbox"/>
RGB LED	<input type="checkbox"/>
FlatLite®	<input type="checkbox"/>

Vision - Light Down




Channel


81 Matt Silver



Standard Insert




Tredsafe® Insert



Insert	LRV	SINGLE
Standard		
01 White	79.9	
16 Black	4.5	
20 Brown	9.1	
25 Beige	41.1	
27 Canvas	53.2	
28 Green	6.3	
30 Red	10.6	
43 Dolphin Grey	27.6	
44 Ice Grey	42.1	
46 Midnight Grey	12.8	
47 Yellow	55.7	
48 Cobalt Blue	9.2	
52 Lime	30.4	
109 Sky Blue	13.5	
Tredsafe®		
601 White	82.7	
616 Black	4.8	
643 Dolphin Grey	18.2	
647 Yellow	46.1	
Anodising		
81 Matt Silver		

Standard



Tredsafe®



Lighting System


Vision LED	
Vision CCT	
RGB LED	
FlatLite®	



LED & Lighting




Vision - Skirting



Code	W x D (mm)	Length (m)	Finish	Description	Box Qty
KLD118	100 x 11	2.8	81,94	Channel	10
End Caps					
NPC100	10		81	End Caps (pair)	10

Lighting System	
Vision LED	<input checked="" type="checkbox"/>
Vision CCT	<input checked="" type="checkbox"/>
RGB LED	<input checked="" type="checkbox"/>
FlatLite®	<input type="checkbox"/>

Vision - Step




LED & Lighting

Code	D x X (mm)	Length (m)	Finish	Description	Box Qty
NLD908	9 x 20	2.8	81	Channel	10
NLD118	11 x 22	2.8	81	Channel	10
End Caps					
NPC100	10		81	End Caps	10

Lighting System	
Vision LED	<input checked="" type="checkbox"/>
Vision CCT	<input checked="" type="checkbox"/>
RGB LED	<input checked="" type="checkbox"/>
FlatLite®	<input type="checkbox"/>



Vision - MultiFix




Code	D (mm)	Length (m)	Finish	Description	Box Qty
TLD108	10	2.8	81	Channel	10
TLD128	12	2.8	81	Channel	10
End Caps					
TUC100	10		81	End Caps (pair)	10

Lighting System	
Vision LED	<input checked="" type="checkbox"/>
Vision CCT	<input checked="" type="checkbox"/>
RGB LED	<input checked="" type="checkbox"/>
FlatLite®	<input checked="" type="checkbox"/>

Vision - TreadLite





Anodising - Maximum length 3m



Insert	LRV	LNR
Standard		
01 White	79.9	<input type="checkbox"/>
16 Black	4.5	<input checked="" type="checkbox"/>
20 Brown	9.1	<input checked="" type="checkbox"/>
25 Beige	41.1	<input type="checkbox"/>
27 Canvas	53.2	<input type="checkbox"/>
28 Green	6.3	<input checked="" type="checkbox"/>
30 Red	10.6	<input checked="" type="checkbox"/>
43 Dolphin Grey	27.6	<input type="checkbox"/>
44 Ice Grey	42.1	<input type="checkbox"/>
46 Midnight Grey	12.8	<input checked="" type="checkbox"/>
47 Yellow	55.7	<input checked="" type="checkbox"/>
48 Cobalt Blue	9.2	<input checked="" type="checkbox"/>
52 Lime	30.4	<input checked="" type="checkbox"/>
109 Sky Blue	13.5	<input checked="" type="checkbox"/>
Tredsafe®		
601 White	82.7	<input type="checkbox"/>
616 Black	4.8	<input checked="" type="checkbox"/>
643 Dolphin Grey	18.2	<input checked="" type="checkbox"/>
647 Yellow	46.1	<input checked="" type="checkbox"/>
NIA50		
80 Mill Aluminium	78.9	<input type="checkbox"/>
Lighting System		
Vision LED		
Vision CCT		
RGB LED		
FlatLite®		<input checked="" type="checkbox"/>

Vision - Listello




Code	D (mm)	Length (m)	Finish	Description	Box Qty
LLA250	24 x 8	2.5m	91		10

Lighting System	
Vision LED	
Vision CCT	
RGB LED	
FlatLite®	<input checked="" type="checkbox"/>



FlatLite®

The premier system offering an innovative continuous low energy Electroluminescent light with varying colour options offering glare free illumination



Code	Description	Box Qty
LFL130.01	Flatlite White 0.28W	mtr
LFL130.109	Flatlite Sky Blue 0.28W	mtr
DSD200	AC Invertor 6W Max 1-20 mtrs	1
DSD400	AC Invertor 12W Max 20-40 mtrs	1
DSD1000	AC Invertor 28W Max 40-100 mtrs	1

Colour Options



01 White




109 Sky Blue

Please Note: Smart Driver is needed to power this system
Full installation instructions available online www.genesis-gs.com



LED System

Safe and secure with 12V IP65 protection class as standard and premium 4.8W or 9.6W 120 LED's per metre. Available in 4000K, or to achieve the optimal effect, our CCT option offers 3000K, 4000K and 6000K in a single length.




Code	Description	Box Qty
LD12483.NW	4.8W 3MTR LED Natural White	1
LD12963.NW	9.6W 3MTR LED Natural White	1
LD12485.NW	4.8W 5MTR LED Natural White	1
LD12965.NW	9.6W 5MTR LED Natural White	1

Code	Description	Box Qty
LCT12965	9.6W 5MTR CCT Multiple White Warm, Natural & Cold	1


Accessories on Page 43-44





RGB System

This dynamic system offers a range of mood lighting powered by 12V IP65 protection, the 60 LED per metre powers varying colours with remote colour changing and dimming within a maximum of 4 Zones. RGB is 14.4W per metre and cuttable every 50mm.




Colour Spectrum

Code	Description	Box Qty
LGB12143	14.4W 3MTR RGB	1
LGB12145	14.4W 5MTR RGB	1

Accessories on
Page 43-44



12V Drivers (LED) Single White



CCT / RGB Multiple White & Red, Green, Blue



Code	Description	Box Qty
LDD30	LED DRIVER 30W	1
LDD50	LED DRIVER 50W	1
LDD100	LED DRIVER 100W	1
LDD1103 (110V)	LED DRIVER 30W	1
LDD1105 (110V)	LED DRIVER 50W	1

LED length x wattage = total wattage for driver.
1x driver and 1x receiver required per independent zone

Code	Description	Box Qty
LUNDR30	CCT RGB DRIVER 30W	1
LUNDR50	CCT RGB DRIVER 50W	1
LUNDR100	CCT RGB DRIVER 100W	1

Single Zone Options (CCT / RGB Driver Compatible)



Code	Description	Box Qty
LCTRAD	Multiple White - CCT Remote Dimmer and Controller	1

Code	Description	Box Qty
LEDRAD	Single White - LED Remote Dimmer and Controller	1



Code	Description	Box Qty
LGBRAD	RGB - Remote Dimmer and Controller	1



Multi Zone Options (4 Zones / 3 Scenes)

1x driver and 1x receiver required per independent zone



Code	Description	Box Qty
LEDMZR	Single White - LED Receiver - Max 288W	1
LEDREM	Single White - LED Remote - 30M Range	1

Code	Description	Box Qty
LCTMZR	Multiple White - CCT Receiver - Max 720W	1
LCTREM	Multiple White - CCT Remote - 30M Range	1



Code	Description	Box Qty
LGBMZR	Multiple White & RGB - Receiver - Max 720W	1
LGBREM	Multiple White & RGB - Remote - 30M Range	1

Universal Options




















Code	Description	Box Qty
LDP1204	12V, IP65 0.4W Recess Mounted with Micro connection, total Ø30mm, available 3000, 4000, 6000K. LED30 Driver required	1



Code	Description	Box Qty
LDWIFI	iPhone / Android compatible with CCT / RGB Receiver and Driver	1

LED & Lighting


What you need

1. Lighting System	2. Driver	3. Receiver (optional) single zone or multi zone	
 NATURAL WHITE 4000K (LD12 Page 41)	LED  (LDD Pg 43)	N/A	N/A
 NATURAL WHITE 4000K (LD12 Page 41)	CCT RGB  (LUND Pg 43)	  or 	(LEDRAD Pg 43) (LED Pg 44)
 COLD WHITE 6000K NATURAL WHITE 4000K WARM WHITE 3000K (LCT12965 Page 41)	CCT RGB  (LUND Pg 43)	  or 	(LECTRAD Pg 43) (LCT Pg 44)
 RED GREEN BLUE (LGB121214 Page 42)	CCT RGB  (LUND Pg 43)	  or 	(LGBRAD Pg 43) (LGB Pg 44)

Zones

Zone 0 is IP67 and above
 Zone 1 is IP64 plus
 Zone 2 is IP64 plus

The tape should be at least 60cm from water source due to the wires / leads



0
ZONE

1
ZONE

2
ZONE

OUTSIDE ZONES

Anti-Slip, Matting & Access



Anti-Slip; RezTred® Installation is simple with no grooving necessary and able to take traffic within 90 minutes of application.

Matting; Residual dirt and moisture is removed decreasing the risk of slipping and increasing the life of your floor.

Accessibility; This range of warning and guidance tactile systems offer a self-adhesive and shanked installation. We also offer site installation allowing for your project to comply with building regulations in style and without hassle.

RezTred®

Genesis are proud to introduce our anti-slip services to the corporate and retail world. Our patented anti-slip resin finishes can be applied onto virtually any surface including natural stones, terrazzo, ceramics, porcelains, glazed tiles, metal treads, wood and glass. Our inserts provide a reliable, long lasting, slip-resistant, Equality Act 2010 compliant surface and are suitable for heavy foot traffic. All products can be retro-fitted as well as factory installed.

AMA
Anti-Slip, Matting
and Access



01 White



16 Black



47 Yellow



Code	Description	Finish	Box Qty
NRES	Tube of Resin - 400ml	01,16,47	1
NRES252 - STEN	25mm Strip Stencil - 1.2m		1
NRES103 - STEN	10mm Strip Stencil - 1.2m		1
NRES25D - STEN	25mm Disc Stencil - 1.2m		1
NRES - GUN	Applicator Gun		1
NRES - SQUEEGEE	Applicator Squeegee		1
NRES - CLEAN	Cleaner		1
NRES - NOZZ	Replacement Nozzle		1
NRES - GLOVE	Gloves		1



Case Study

The Shaare Sedek Synagogue in Manchester requested a safer solution to make their stair edges slip resistant as they were currently using caution tape.

Our RezTred® Anti Slip Tread Kit provided the perfect solution and we were able to install it the same day so that it was ready for use by the 6pm service.

We are not limited to straight lines, think outside the box and we can create almost any design you require.




PATHWAY

GUIDANCE SYSTEM

The traditional 9mm Ø shank method or 3M adhered versions offer an incredibly versatile system that can provide an instant DDA and Equality Act 2010 compliant tactile surface to any platform edge, stairway or ramp due to their unique installation methods.

Manufactured from Stainless Steel grade 316 or Polyurethane, both of which are highly durable and offer excellent contrasting options to ensure conformity within internal and external applications. Aluminium, Brass and other design options available, minimum order quantities may apply.



Stainless Steel Tactile

Crosshatch



Anti-Slip




Circle



Infill


01 White



16 Black



47 Yellow



PU Tactile

Groove




Cross




NEW PRODUCT

Self Adhesive



Shanked



3M

Stainless Steel Shanked

Code	Ø (mm)	Description	Finish	Box Qty
FTSSD25	25	Stainless Steel Anti-Slip Tactile	01,16,47	20
FTSCD25	25	Stainless Steel Circle Tactile	84	20
FTCHD25	25	Stainless Steel Crosshatch Tactile	84	20

Stainless Steel Self Adhesive **3M**

Code	Ø (mm)	Description	Finish	Box Qty
FTSAS25	25	Stainless Steel Anti-Slip Tactile	01,16,47	20
FTSSA25	25	Stainless Steel Circle Tactile	84	20
FTSCA25	25	Stainless Steel Crosshatch Tactile	84	20

Stainless Steel Corduroy Tactile Trim

Code	W x L (mm)	Description	Finish	Box Qty
FTCD280	25 x 280	Stainless Steel Anti-Slip Shanked	01,16,47	20
FTCA280	25 x 280	Stainless Steel Anti-Slip Self Adhesive 3M	01,16,47	20

PU Tactile Shanked

Code	W x L (mm)	Description	Finish	Box Qty
FTPXD25	25 x 25	PU Groove Tactile 	16	20
FTPHD25	25 x 25	PU Cross Tactile	16	20

PU Tactile Self Adhesive **3M**

Code	W x L (mm)	Description	Finish	Box Qty
FTPXA25	25 x 25	PU Groove Tactile 	16	20
FTPCA25	25 x 25	PU Cross Tactile	16	20

PU Corduroy Tactile Self Adhesive **3M**

Code	W x L (mm)	Description	Finish	Box Qty
FTPA280	25 x 280	PU Corduroy Tactile 	16	20



Shanked

Self Adhesive

TrakMat® Fluted Rubber

16 Black



TrakMat®
ENTRANCE MATTING



Light to Medium Traffic
<2000/day

Use outside for primary coarse dirt retention.

Aluminium sections linked by semi-rigid P.V.C. to deaden traffic noise and allow rolling up of the mat. Designed for internal and external use.

Code	Height (mm)	Finish	Size
EM8950	12	16	m ²
EM8951	17	16	m ²
EM8952	22	16	m ²

TrakMat® Loop Pile

Anthracite

Red



Grey

Natural



Light to Medium Traffic
<2000/day

Use inside to clean and absorb residual moisture and dirt.

Code	Height (mm)	Finish	Size
EM8900	12	Anthracite	m ²
EM8901	12	Grey	m ²
EM8902	12	Natural	m ²
EM8903	12	Red	m ²
EM8910	17	Anthracite	m ²
EM8911	17	Grey	m ²
EM8912	17	Natural	m ²
EM8913	17	Red	m ²
EM8920	22	Anthracite	m ²
EM8921	22	Grey	m ²
EM8922	22	Natural	m ²
EM8923	22	Red	m ²

Reversible Rubber

16 Black



Heavy Traffic
 >2000/day

Use outside for primary coarse dirt retention.


Aluminium sections containing rubber inserts linked with galvanised steel cables and secured with plated fixings. Designed for internal or external use.

Code	Height (mm)	Finish	Size
R8030	18	16	m ²
R8031	12	16	m ²

Reversible Superior insert

Black

Grey



Heavy Traffic
 >2000/day

Use inside to clean and absorb residual moisture and dirt.


Reversible inserts are fitted between mill profiles and assembled with galvanised steel rods.

Code	Height (mm)	Finish	Size
R8000	18	Grey	m ²
R8016	18	Black	m ²
R8002	12	Grey	m ²
R8003	12	Black	m ²

Bevelled Access Profile Aluminium



Silver




Code	Height (mm)	Length (m)	Finish	Box Qty
R6115	20	3	Silver	1

See also RAA154 Aluminium Access Ramp - Page 62


Accessories



R16104



R6100 / R6101



R6113



Code	Length (m)	Description	Box Qty
R6100	4	Matwell Frame 17-23mm for mats 17 or 23mm deep - Silver	1
R6101	4	Matwell Frame 17-23mm for mats 17 or 23mm deep - Brass	1
R6113	4	Matwell Frame 13mm for mats up to 13mm deep - Silver	1
R16104		Pack of 4 corner angles for frame -Silver	1

Now available...

...Entrance
Matting
Samples Folder

Order yours today!




Transitions

TCR
Transitions,
Covers, Ramps



Our range of transition profiles provide an extensive portfolio of both commercial and DIY products – all giving you performance, function and aesthetics. With different colours, designs and materials, our range will complement most floor coverings.


Self Adhesive




CAS407



CAS255




NAS



TAS



TAV



Code	W x D (mm)	Length (m)	Finish	Box Qty
TAS157	50 x 15	2.7	40,81,83	10
TAS159	50 x 15	0.9	40,81,83	10
TAS107	43 x 10	2.7	40,81,83	10
TAS109	43 x 10	0.9	40,81,83	10
CAS407	37 x 3	2.7	40,81,83	10
CAS409	37 x 3	0.9	40,81,83	10
CAS257	25 x 3	2.7	81	10
NAS207	30 x 20	2.7	40,81,83	10
NAS209	30 x 20	0.9	40,81,83	10
NAS107	25 x 10	2.7	40,81,83	10
NAS109	25 x 10	0.9	40,81,83	10
TAV257	30 x 2.5	2.7	81,83	10
TAV259	30 x 2.5	0.9	81,83	10

Fast Fit Slimline


81 Matt Silver



83 Matt Brass





85 Pewter



Perfect finishing for junctions of different floor coverings of same height.

- Covers a gap up to 30mm
- TCS for drill fitting option
- TCG Multiflex for Carpet installation
- TCC Multiflex for all other floor coverings



Code	W (mm)	Length (m)	Finish	Box Qty
TCS409	40	0.92	81,83,85	20
TCS405	40	1.85	81,83,85	20
TCG109	9	0.92	80	20
TCC109	9	0.92	80	20

Fast Fit Ramp System

Unique Clip System. Allows use with different floor covering material depths. Accommodates height variation up to 20mm.


- TCR for drill fitting option
- TCG Multiflex base for carpet installation
- TCC Multiflex base for all other floor coverings
- TTG Multiflex set with gripper base
- TTC Multiflex set with universal base
- All Bases include 5 + 5 clips




Code	W (mm)	Length (m)	Finish	Box Qty
TCR409	40	0.92	39,40,81,83,85,87,91	20
TCR405	40	1.85	39,40,81,83,85	20
TCG109	9	0.92	80	20
TCC109	9	0.92	80	20
TTG409 ¹	40	0.92	87,91	20
TTC409 ²	40	0.92	87,91	20

¹TTG409 (TCR & TCG Combined)


²TTC409 (TCR & TCC Combined)



TCR




TCC




TCG







TTG




TTG




TTG



TTG



TTG




TTG

Brushed Stainless Cover




Pre-drilled.




Code	W (mm)	Length (m)	Finish	Box Qty
TSC307	30	2.7	102	40
TSC407	40	2.7	102	40

Vinyl Tread



Inserts available
NITR50 & NISL50
See pages 7-8
for details



Code	W x D (mm)	Length (m)	Finish	Box Qty
TSL547	70 x 4	2.7	80	10

Aluminium Z-Bar Carpet Lock

81 Matt Silver



83 Matt Brass



87 Brass Effect



91 Bright Silver




Code	W x D (mm)	Length (m)	Finish	Box Qty
TGA909	30 x 9	0.9	81,83,87,91	45
TGA907	30 x 9	2.7	81,91	15
TGA149	30 x 14	0.9	81,83	45

Aluminium Z-Bar Pro

87 Brass Effect






91 Bright Silver




Code	W x D (mm)	Length (m)	Finish	Box Qty
TGS159	30 x 15	0.9	87,91	45

Clip Tops




Code	W x D (mm)	Length (m)	Finish	Box Qty
TTOP1	53 x 6.25	2.5	16,43	10
TBAS1	34 x 6.25	2.5	80	10
TTOP3	37 x 8 - 10	2.5	16,43	10
TBAS3	17 x 8.55	2.5	80	10

Stainless Steel Tile-in Ramp





Code	W x D (mm)	Length (m)	Finish	Box Qty
RSS104	20 x 10	2.5	84	10
RSS124	25 x 12.5	2.5	84	10

Tile Aluminium Ramp





Code	W x D (mm)	Length (m)	Finish	Box Qty
RSA104	20 x 10	2.5	80,81	20
RSA124	23 x 12	2.5	80,81	20
RUA104	16 x 10	2.5	81	20
RUA124	19 x 12	2.5	81	20

Aluminium Access Ramp



Code	W x D (mm)	Length (m)	Finish	Box Qty
RAA104	65 x 10	2.5	81	5
RAA124	65 x 12.5	2.5	81	5
RAA154	90 x 15	2.5	81	5

Adjustable Ramp




Code	D (mm)	Length (m)	Finish	Box Qty
RAD100	10	2.5	81	10
RAD120	12	2.5	81	10

Aluminium Retro-Fit Vinyl Reducer



Pre-drilled.



Code	W x D (mm)	Length (m)	Finish	Box Qty
TVA259	40 x 2.5	0.92	81	20
TVA258	40 x 2.5	2.8	81	20


Aluminium Reducer



RAR077 - for carpet tiles, loose lay PVC tiles etc.

RAR157 - for easy access with pallet trucks, trolleys and wheelchairs.

Pre-drilled.



Code	H (mm)	Length (m)	Finish	Box Qty
RAR077	5 - 7	2.7	81	10
RAR157	10.5 - 15	2.7	81	20



Movement Joints

MJ
Movement Joints

The selection of the correct Expansion Joint is determined by area, traffic and the floor covering. Performance and function are paramount when making your selection and our range meets both those requirements. You'll find light, medium and heavy duty expansion joints in this section, classed according to the degree of protection the profile offers the floor covering, the anticipated traffic crossing the floor and any point loading.

We make movement as easy as 1,2,3...

1 Material Selection – the material used to form the joint anchoring legs has no bearing on the movement capacity. Different materials provide added protection to the edge of the floor covering depending on the type and volume of traffic;


PVC - Light duty traffic, foot traffic only. Sight line is a consistent colour making it ideal for domestic applications in large rooms or doorways, removable leg for use as a perimeter in rooms greater than 4sqm, waterproof and suitable for swimming pool surrounds and wet areas.

Aluminium - Grade 6063 Aluminium provides extra protection to the floor covering and can be used in heavy traffic areas with foot and low point loading wheel traffic, ideal for use in car showrooms and shopping centres.

Stainless Steel - Available in Grade 304 and 316, this is the strongest of the materials giving the ultimate protection to the floor covering and ideal for all traffic. Popular with Airports and supermarkets where the wheel traffic has a high point loading and can cause the most impact damage. Grade 316 is recommended in swimming pool surrounds, food prep areas, hospitals and wet areas due to its increased corrosive resistance and strength.



MLB P.V.C.
Movement Joint



MSA Optimax
Aluminium HD



MSS Optimax
Stainless Steel HD

Don't Get Stressed Get Genesis!



2 Performance – the movement accommodation is determined by the width of the joint infill. All Genesis joints conform to the BS5385 recommendations providing minimum 20% movement capacity on PVC with polyurethane exceeding the minimum capacity due to it's flexibility.

3 Positioning – the following points must be considered when choosing your movement joint:



Key points

- In all applications a movement joint must be used **DIRECTLY** above a joint in the sub-floor, whether this is the same type of subfloor or not. It is often missed domestically on extensions where a new subfloor will be constructed.
- In the instance of commercial applications where there is a structural gap in the subfloor the movement joint must not overhang the gap, if the gap is 10mm and the infill of the movement joint is 6mm then select a different movement joint.
- When tiling continues from room to room it is good practice to use a movement joint in the doorways, especially if the walls are load bearing.

Considerations


- If there are no joints in the subfloor, start from the wall. If there are joints in the subfloor, start from the location of the joint. Positioning should then be 5-8m apart in any direction and ideally in square/ rectangular bays. In domestic applications or corridors this can be extended to 10m.
- A room 4sqm or larger with load bearing walls should have a perimeter joint in place.
- Once a room/project exceeds 20sqm or extends into a second room you should be asking the question about a movement joint!

P.V.C. Joint Covers



Code	W x D (mm)	Length (m)	Infill Finish	Box Qty
MVP250	50 x 2	15	16,43	10
MVP275	75 x 2	15	16,43	10


Compression Joint with Barbs & Anchors



Code	W x D (mm)	T (mm)	Length (m)	Finish	Material	Box Qty
MCA300	12 x 30	1.5	2.5m	16,35	Aluminium	10
MCB300	12 x 30	1.5	2.5m	16,35	Brass	10
MCS300	11 x 30	1	2.5m	16,35	Stainless Steel	10
MCA500	12 x 50	1.5	2.5m	16,35	Aluminium	10
MCB500	12 x 50	1.5	2.5m	16,35	Brass	10
MCS500	11 x 50	1	2.5m	16,35	Stainless Steel	10




P.V.C. Movement & Perimeter Joint




Code	D (mm)	Length (m)	Infill Finish	Box Qty
MLB100	10	2.5	16,25,35	25
MLB125	12.5	2.5	16,25,35	25

P.V.C. Movement & Perimeter Joint - Thin




Code	D (mm)	Length (m)	Infill Finish	Box Qty
MLT100	10	2.5	16,25,35	25
MLT125	12.5	2.5	16,25,35	25

Optimax Stainless Steel Heavy Duty




Code	D (mm)	Length (m)	Infill Finish	Box Qty
MSS100	10	2.5	16,35	10
MSS125	12.5	2.5	16,35	10

Stainless Steel Heavy Duty




Code	D (mm)	Length (m)	Infill Finish	Box Qty
MHS100	10	2.5	16,25,35	10
MHS120	12	2.5	16,25,35	10
MHS150	15	2.5	16,25,35	10
MHS225	22.5	2.5	16,25,35	10

Aluminium Intermediate Joint



Code	D (mm)	Length (m)	Infill Finish	Box Qty
MMA100	10	2.5	16,35	10
MMA120	12	2.5	16,35	10

Optimax Aluminium Heavy Duty



Code	D (mm)	Length (m)	Infill Finish	Box Qty
MSA080	8	2.5	16,25,35	10
MSA100	10	2.5	16,25,35	10
MSA125	12	2.5	16,25,35	10
MSA150	15	2.5	16,25,35	10
MSA180	18	2.5	16,25,35	10
MSA225	22.5	2.5	16,25,35	10

Optimax Aluminium Heavy Duty Replaceable Infill

Code	D (mm)	Length (m)	Finish	Box Qty
MSI100	9.8	2.5	16,25,35	20



MJ
Movement Joints

Gatwick Airport - MHS

Project Specifications

Product Specified: MHS225.35

Colour Specified: Dark Grey

Sector: Transport



Project Description

When the Gatwick consortium began to renovate the South terminal of Gatwick Airport they needed to ensure that the new floors were protected against the movement of all the daily traffic that they endure. Genesis were able to provide a solution; working with the main contractors, architects and installation contractors a cost effective Stainless Steel Movement Joint was selected from the Genesis range as the perfect fit. The renovation has been part of a (circa) £850million investment to see the replacement of floors and ceilings and enhance the experience travellers receive; The Genesis Movement Joint meets and exceeds all standards of Movement Joints and will save the floors from cracking long into the future.


Structural Joints



Structural Joints are designed to relieve or absorb anticipated movement between structural elements, which are generally caused by thermal expansion/contraction, settlement, load transfer, dead loads and at times even seismic activity.

The product will be subject to lateral, vertical and shear movement. Therefore, before selecting the most appropriate movement jointing system, it is important that the movement criteria of the joint is known and advised by a structural engineer to ensure that the proposed system accommodates all the predicted types of movement.

Heavy Duty Aluminium - 30mm




Smooth

Code	W (mm)	D (mm)	A (mm)	Length (m)	Finishes	Lateral Movement (mm)
GFSR3023	36	23	30	3	16,35	8 (± 4)
GFSR3030	36	30	30	3	16,35	8 (± 4)
GFSR3050	36	50	30	3	16,35	8 (± 4)
GFSR3070	36	70	30	3	16,35	8 (± 4)

Grooved

Code	W (mm)	D (mm)	A (mm)	Length (m)	Finishes	Lateral Movement (mm)
GFSR3023	36	23	30	3	16,35	10 (± 5)
GFSR3030	36	30	30	3	16,35	10 (± 5)
GFSR3050	36	50	30	3	16,35	10 (± 5)
GFSR3070	36	70	30	3	16,35	10 (± 5)

Heavy Duty Aluminium - 50mm



Smooth



Code	W (mm)	D (mm)	A (mm)	Length (m)	Finishes	Lateral Movement (mm)
GFSR5023	56	23	50	3	16,35	12 (± 6)
GFSR5030	56	30	50	3	16,35	12 (± 6)
GFSR5050	56	50	50	3	16,35	12 (± 6)
GFSR5070	56	70	50	3	16,35	12 (± 6)

Grooved



Code	W (mm)	D (mm)	A (mm)	Length (m)	Finishes	Lateral Movement (mm)
GFSR5023	56	23	50	3	16,35	14 (± 7)
GFSR5030	56	30	50	3	16,35	14 (± 7)
GFSR5050	56	50	50	3	16,35	14 (± 7)
GFSR5070	56	70	50	3	16,35	14 (± 8)





Heavy Duty Aluminium Size and Insert Options




Insert - Smooth





Insert - Grooved



Central Support





Stainless Steel Covers, Self Adhesive



Code	W x D (mm)	Length (m)	Finish	Side Drill	Box Qty
GC2796	60 x 5	2.5	102	On request	10
GC2797	80 x 5	2.5	102	On request	10
GC2798	100 x 5	2.5	102	On request	10

Aluminium Covers, Self Adhesive



Code	W x D (mm)	Length (m)	Finish	Side Drill	Box Qty
GC2806	60 x 4	3	81	On request	10
GC2820	80 x 4	3	81	On request	10
GC2814	100 x 3	3	81	On request	10


P.V.C. Trim



Genesis P.V.C. Trims are individually designed for a variety of finishing functions, and in various depths and finishes.

They are manufactured to the highest standards from top quality virgin, lead free P.V.C.u. and with internal and external corners they are finished professionally, providing a long lasting protective finish to any ceramic installation.

Trim Regular & Corners





Code	D (mm)	Length (m)	Finish	Box Qty
ETR608	6	2.5	01,11,16,32,34,111	100
ETR708	7	2.5	01	100
ETR808	8	2.5	01,09,10,11,12,13,14,16,20,25,26,32,34,62,63,64,70,72,111,116	100
ETR108	10	2.5	01,09,10,11,12,13,14,16,20,24,25,26,32,34,62,64,70,72,81,91,111	60
ETR128	12	2.5	01,10,11,14,16,25,32,34,64,70,111	60

Corner Pieces

Code	D (mm)	Finish	Pack Qty
PDM603	6	01,10,11,14,16,25,32,34	100
PDP604	6	01,34	4 Blister Pack
PDL803	8	01,10,11,14,16,25,32,34	100
PDP804	8	01,34	4 Blister Pack
PDX103	10	01,10,11,14,16,25,32,34	100
PDP104	10	01,34	4 Blister Pack
PDX123	12	01,10,11,14,16,25,32,34	100
PDP124	12	01,34	4 Blister Pack



Trim Plus & Corners




Code	D (mm)	Length (m)	Finish	Box Qty
ETP908	9	2.5	01	50

Corner Pieces

Code	D (mm)	Type	Finish	Pack Qty
PCL235	9	Internal/External	01	2 of each



P.V.C. Internal Trim



Code	D (mm)	Length (m)	Finish	Box Qty
ETI090	9	2.5	01,11	50




P.V.C. Square Trim & Corners



Code	W x D (mm)	Length (m)	Finish	Box Qty
TPP104	8 x 10	2.5	01	60
TPP124	8 x 12	2.5	01	60

Corner Pieces			
Code	Packed	Finish	Box Qty
PTP104	10mm 2 way corner x 4	01	50
PTP124	12mm 2 way corner x 4	01	50

P.V.C. Straight Edge Trim





Code	D (mm)	Length (m)	Finish	Box Qty
ESP060	6	2.5	01,34	100
ESP080	8	2.5	01,11,16,32,34	100
ESP100	10	2.5	01,11,16,32,34	100
ESP120	12	2.5	01,11,16,32,34	100
ESP150	15	2.5	01	100



P.V.C. Seal Under / Over Tile & P.V.C. Seal Plus



01 White



P.V.C. Seal Under / Over Tile

Code	Fixing	Length(m)	Finish	Box Qty
SBS180	Under / over tile	1.8	01	25
SPS180	Under tile only	1.8	01	25

Corner Pieces

Code	Packed	Finish	Box Qty
SMT100	1 corner + 2 end caps	01	50 packs

P.V.C. Seal Plus

Code	Fixing	Length (m)	Finish	Box Qty
SSP180	Under / over tile	1.8	01	50


Corner Pieces

Code	Packed	Finish	Box Qty
SMP100	1 corner + 2 end caps	01	50 packs

2 Part Adjustable Capping System



01 White




Code	W x D (mm)	Length (m)	Finish	Box Qty
PTS25	25 x 8-10	1.85	01	25

End Caps

Code	Orientation	Pack	Finish	Box Qty
PTL25	Left	25 caps per bag	01	50
PTR25	Right	25 caps per bag	01	50

P.V.C. Vinyl to Tile



Code	W x D (mm)	Length (m)	Finish	Box Qty
EVC080	15 x 8 (punched flange)	2.5	01,11,16	50
EVU080	15 x 8 (unpunched flange)	2.5	01	50
EVT080	15 x 8	2.5	01	25
EVT120	15 x 12	2.5	01	25
EFU080	15 x 8	2.5	01	50

P.V.C. Beading



Code	Fixing	Length (m)	Finish	Box Qty
SRP250	Over tile only	2.5	01	25

Corner Pieces				
Code	Packed		Finish	Box Qty
SRE100	2 way external corner x 5		01	50
SRI100	2 way internal corner x 5		01	50
SRT100	3 way internal corner x 5		01	50

P.V.C. Eco Trim


01 White



32 Soft Cream



34 Soft Grey





Supplied in full boxes only.

A co-extruded P.V.C. profile made of 50% recycled material specifically designed so the seen area remains high impact virgin material while retaining premium design.

Code	W x D x Z (mm)	Length (m)	Finish	Box Qty
ECT060	7 x 6 x 23	2.5	01,32,34	100
ECT090	10 x 9 x 26	2.5	01,32,34	100
ECT120	13 x 12 x 28	2.5	01,32,34	100

P.V.C. Retro-Fit Corner Protector

01 White



Code	W x D (mm)	Length (m)	Finish	Box Qty
ERP120	12 x 12	2.5	01	50
ERP200	20 x 20	2.5	01	50
ERP250	25 x 25	2.5	01	50
ERP300	30 x 30	2.5	01	25
ERP500	50 x 50	2.5	01	25

Flexibles




A selection of quality flexible P.V.C. extrusions designed to provide a clean, neat solution for junctions where the floor meets the wall. Solutions are available to suit most applications in terms of safety, performance and aesthetics.

Genesis P.V.C. profiles are lead-free and REACH compliant.



P.V.C. Flexible Sit On Skirting




Code	H x D (mm)	Length (m)	Finish	Box Qty
KSO100	100 x 20	2	16,43	30
KSO1015	100 x 20	15 (coil)	16,43	1
KSO150	150 x 20	2	16,43	20

P.V.C. Flexible Set In Skirting




Code	H x D (mm)	Length (m)	Finish	Box Qty
KSI100	100 x 50	2	16,43,46	20

P.V.C. Flexible Cove Former




Code	W x D (mm)	Length (m)	Finish	Box Qty
KCOV1	38 x 38	2	16	30
KCOV2	20 x 20	2	16	30
KCOV3	32 x 32	2	16	30

P.V.C. Dim Strip




Code	W x D (mm)	Length (m)	Finish	Box Qty
RDIM20	26 x 2	15 (coil)	16	10
RDIM25	26 x 2.5	15 (coil)	16	10
RDIM45	36 x 4.5	2	16	40
RDIM60	40 x 6	2	16	20

P.V.C. Capping Strip



Code	W x D (mm)	Length (m)	Finish	Box Qty
KCS01	40 x 2	2	01,16,43	40

P.V.C. Edge Cap Strip



Code	W x D (mm)	Length (m)	Finish	Box Qty
KCS02	39.5 x 1.5	2	01,16	40
KCS022	39.5 x 1.5	20 (coil)	01,16,43	3



Luxe

What's life without
a little luxury?


A range of luxurious tiling profiles to add glitz, glamour and a premium finish to your installation.

With plated stainless steel, chrome plated aluminium with crystals by Swarovski and solid brass we have the exclusive look covered to achieve the Perfect Finish.

The Swarovski range can also be applied to any colour profile to complement your design, please ask for details.

Introducing...

Luxe



Luxurious tiling profiles to add glitz & glamour

A range of luxurious tiling profiles to add glitz, glamour and a premium finish to your installation.

The Swarovski range can also be applied to any colour profile to complement your design, please ask for details.

NOTE: Crystals by Swarovski are not suitable for commercial installations or in wet areas



Swarovski Crystals

Triple Crystal on 101 Chrome Effect TDP

Code	Size	Length (m)	Finish
TDP100	10mm	2.5	101S
TDP120	12mm	2.5	101S


For standard TDP see page 94

Single Crystal on 101 Chrome Effect ESA

Code	Size	Length (m)	Finish
ESA080	8mm	2.5	101S
ESA100	10mm	2.5	101S
ESA120	12mm	2.5	101S

For standard ESA see page 91

Stunning finishing profiles
to compliment your
beautiful home



161
Tinted Black

187
Gold

195
Copper

Make a statement with these luxurious stainless steel profiles. Available in three breathtaking finishes, never has stainless steel looked so good!

Plated Stainless Steel

Square Edge

Code	Size	Finish
EQQ080	8mm	161,187,195
EQQ100	10mm	161,187,195
EQQ120	12mm	161,187,195

Corners

Code	Size	Finish
EDQ082	8mm	161,187,195
EDQ102	10mm	161,187,195
EDQ122	12mm	161,187,195


Straight Edge

Code	Size	Finish
ESS080	8mm	161,187,195
ESS100	10mm	161,187,195
ESS120	12mm	161,187,195

For standard ESS see page 102


For standard EQQ see page 103

Beautiful finishing profiles, the icing on the cake!




Our range of solid brass profiles are suitable for both domestic and commercial areas. Solid brass is extremely hard wearing and provides a truly unique finish.

Solid Brass



Square Edge

Code	Size	Length (m)	Finish
TDB107	10mm	2.7	87
TDB127	12mm	2.7	87



Straight Edge


Code	Size	Length (m)	Finish
ESB107	10mm	2.7	87
ESB127	12mm	2.7	87

Metal Trim



The Genesis range of metal profiles is without doubt one of the most comprehensive available, covering round, straight, square and even triangular profiles that suit most domestic and commercial applications. Formable options are also available in aluminium and stainless steel. Genesis now has over a hundred different metal corner pieces in various sizes and finishes to create the perfect installation.

Aluminium Straight Edge & Formable Trim



Code	D (mm)	Length (m)	Finish (images on page 92)	Box Qty
ESA030	2.25	2.5	80	20
ESA040	3.25	2.5	80	20
ESA050	4.25	2.5	80	20
ESA060	6	2.5	01,80,81,91	20
ESA080	8	2.5	01,02,16,17,18,34,80,81,88,91,94	20
ESA080	8	2.5	101	10
ESA100	10	2.5	01,02,16,17,18,34,80,81,85,86,88,89 90,91,92,94,95,96,97,411,414,425,435	20
ESA100	10	2.5	101	10
ESA120	12	2.5	01,02,16,17,18,34,80,81,85,86,88,89 90,91,92,94,95,96,97,411,414,425,435	20
ESA120	12	2.5	101	20
ESA150	15	2.5	01,80,81,91,94	20
ESA180	18	2.5	80,81,91	20
ESA225	22.5	2.5	80,91	20

2.7m



Code	D (mm)	Length (m)	Finish	Box Qty
ESA067	6	2.7	81,91	20
ESA087	8	2.7	81,91,94	20
ESA107	10	2.7	81,91,94	20
ESA127	12	2.7	81,91,94	20

Formable

Code	D (mm)	Length (m)	Finish	Box Qty
EFA060	6	2.5	80	20
EFA080	8	2.5	80	20
EFA100	10	2.5	80,91	20
EFA120	12	2.5	80,91	20
EFA150	15	2.5	80	20
EFA180	18	2.5	80	20


Corner Pieces

Code	D (mm)	Finish	Pack Qty
ESC082	8	81,91,94	2
ESC102	10	81,90,91,94,97	2
ESC122	12	81,90,91,94,97	2

Aluminium Straight Edge & Formable Trim (finishes)




Aluminium Medium Duty Trim




Code	D (mm)	Length (m)	Finish	Box Qty
EMA080	8	2.5	80	20
EMA100	10	2.5	80	20
EMA120	12	2.5	80	20

Aluminium Contour Trim & Corners



PROTECTIVE FILM



Code	W x D (mm)	Length (m)	Finish	Box Qty
TDG084	8 x 8	2.5	81,91	20
TDG104	10 x 10	2.5	81,91	20
TDG124	12 x 12	2.5	81,91	20

Corner Pieces

Code	D (mm)	Finish	Pack Qty
ECG082	8	81,91	2
ECG102	10	81,91	2
ECG122	12	81,91	2

Did you know?..



...following customer feedback, all our corners now come in packs of two!

Don't cut corners!




Aluminium Square Trim & Corners




Code	W x D (mm)	Length (m)	Finish	Box Qty
TDP060	10 x 6	2.5	91,94	20
TDP080	10 x 8	2.5	81,82,91,94,95,96	20
TDP100	10 x 10	2.5	01,02,16,17,18,34,81,82,86,90,91,94,95,96,97,411,414,425,435	20
TDP100	10 x 10	2.5	101	10
TDP120	10 x 12	2.5	01,02,16,17,18,34,81,82,86,90,91,94,95,96,97,411,414,425,435	20
TDP120	10 x 12	2.5	101	10
TDP150	10 x 15	2.5	81,91,94	20

Corner Pieces

Code	D (mm)	Finish	Pack Qty
EDP082	8	81,82,91,94,95,96	2
EDP102	10	01,16,17,18,81,82,90,91,94,95,96,97,101	2
EDP122	12	01,16,17,18,81,82,90,91,94,95,96,97,101	2
EDP152	15	81,91,94	2




Aluminium Slim Trim - Square




Code	W x D (mm)	Length (m)	Finish	Box Qty
EAM080	9 x 8	2.5	91	20
EAM100	11 x 10	2.5	91	20

Aluminium Slim Square Edge Trim & Corners



PROTECTIVE FILM





Code	D (mm)	Length (m)	Finish	Box Qty
TMG050	5	2.5	91	20
TMG100	10	2.5	91	20
TMG120	12	2.5	91	20

Corner Pieces


Code	D (mm)	Type	Finish	Pack Qty
EMG052	5	Int / Ext	91	2
EMG102	10	Int / Ext	91	2
EMG122	12	Int / Ext	91	2

Aluminium Internal Square & End Caps



Code	W x D (mm)	Z (mm)	Y (mm)	Length (m)	Finish	Box Qty
EIK100	11 x 10	31	3	2.5	91	20
EIK120	13 x 12	33	3	2.5	91	20
End Caps						
Code	D (mm)	Finish	Pack Qty			
ECK102	10	91	2			
ECK122	12	91	2			

Aluminium Angle Trim - Slim



Code	W x D (mm)	Length (m)	Finish	Box Qty
EAD080	12 x 8	2.5	86,91	20
EAD100	15 x 10	2.5	86,91	20
EAD120	18 x 12	2.5	86,91	20


Aluminium Quadrant Trim & Corners



Code	D (mm)	Length (m)	Finish	Box Qty
EAQ060	6	2.5	01,81,91	20
EAQ080	8	2.5	01,80,81,91,94	20
EAQ100	10	2.5	01,16,80,81,83,85,86,91,94	20
EAQ120	12	2.5	01,16,80,81,83,85,86,91,94	20

External Corners			
Code	D (mm)	Finish	Pack Qty
EAC062	6	91	2
EAC082	8	01,80,81,91,94	2
EAC102	10	01,16,80,81,86,91,94	2
EAC122	12	01,16,80,81,86,91,94	2

Internal Corners			
Code	D (mm)	Finish	Pack Qty
EIQ082	8	81,91,94	2
EIQ102	10	81,86,91,94	2
EIQ122	12	81,86,91,94	2



Solid Brass available upon request - lead times and MOQ's apply.

Aluminium Pro Trim & Corners


81 Matt Silver



91 Bright Silver



94 Brushed Effect

Code	D (mm)	Length (m)	Finish	Box Qty
ETA060	6	2.5	81,91	20
ETA080	8	2.5	81,91,94	20
ETA100	10	2.5	81,91,94	20
ETA120	12	2.5	81,91,94	20

External Corners

Code	D (mm)	Finish	Pack Qty
ETC062	6	81,91	2
EAC082	8	081,91,94	2
EAC102	10	81,86,91,94	2
EAC122	12	81,86,91,94	2

Internal Corners

Code	D (mm)	Finish	Pack Qty
EIQ082	8	81,91,94	2
EIQ102	10	81,91,94	2
EIQ122	12	81,91,94	2

Aluminium Round Edge


81 Matt Silver



86 Bright Brass



91 Bright Silver

Code	D (mm)	Length (m)	Finish	Box Qty
ERA080	8	2.5	91	20
ERA100	10	2.5	81,86,91	20
ERA120	12	2.5	81,91	20

Aluminium Angle Trim & Corners


81 Matt Silver





91 Bright Silver



94 Brushed Effect



PROTECTIVE FILM



EIT



EET




Code	W x D (mm)	Length (m)	Finish	Box Qty
EAT080	9 x 8	2.7	81,91,94	20
EAT100	11 x 10	2.7	81,91,94	20
EAT120	13 x 12	2.7	81,91,94	20

Corner Pieces


Code	D (mm)	Type	Finish	Pack Qty
EET082	8	External	81,91,94	2
EET102	10	External	81,91,94	2
EET122	12	External	81,91,94	2
EIT082	8	Internal	81,91,94	2
EIT102	10	Internal	81,91,94	2
EIT122	12	Internal	81,91,94	2

Aluminium Self Adhesive Internal Trim, Corners & Caps



Code	D (mm)	Length (m)	Finish	Box Qty
EWA150	15	2.5	81,91	20
Corner Pieces & End Caps				
Code	D (mm)	Type	Finish	Pack Qty
EWI150	15	Internal Corner	81,91	2
EWE150	15	External Corner	81,91	2
EWC150	15	End Caps	81,91	2

Dividing Strips




Aluminium Dividing Strip

Code	W x D (mm)	Length (m)	Finish	Box Qty
EDA510	5 x 10	2.5	80	20
EDA147	14 x 8	2.5	81	20
EDA310 <small>NEW</small>	3 x 10	2.5	91	20
EDA408	22 x 9	2.5	81,83,91	20

Stainless Steel Dividing Strip


Code	W x D (mm)	Length (m)	Finish	Box Qty
EDS209	20 x 9	2.5	84,102	10



Solid Brass available upon request - lead times and MOQ's apply.



Stainless Steel Straight Edge Trim (304 & 316) & Formable Trim



PROTECTIVE FILM

EXCL. 102



Stainless Steel - Grade 304

Code	D (mm)	Length (m)	Finish	Box Qty
ESS045	4.5	2.5	84,102	10
ESS060	6	2.5	84,102	10
ESS080	8	2.5	84,102	10
ESS100	10	2.5	84,102	10
ESS120	12	2.5	84,102	10
ESS150	15	2.5	84,102	10
ESS180	18	2.5	84,102	10
ESS225	22.5	2.5	84,102	10

Stainless Steel - Grade 316

Code	D (mm)	Length (m)	Finish	Box Qty
ESS310	10	2.5	84,102	10
ESS312	12	2.5	84,102	10

Formable



Code	D (mm)	Length (m)	Finish	Box Qty
ESF100	10	2.5	84,102	10
ESF120	12	2.5	84,102	10



Luxe

Plated Finish on Page 88

Stainless Steel Angle Edge



Code	D (mm)	Length (m)	Finish	Box Qty
ETS045	4.5	2.5	84	10
ETS070	7	2.5	84	10
ETS100	10	2.5	84	10

Stainless Steel Square Edge Trim & Corners



Stainless Steel Square Edge Trim - Grade 304

Code	W x D (mm)	Length (m)	Finish	Box Qty
EQQ080	8 x 8	2.5	84,102	10
EQQ100	10 x 10	2.5	84,102	10
EQQ120	12 x 12	2.5	84,102	10

Stainless Steel Square Edge Trim - Grade 316

EQQ308	8 x 8	2.5	84,102	10
EQQ310	10 x 10	2.5	84,102	10
EQQ312	12 x 12	2.5	84,102	10

Stainless Steel Square Edge Trim Corners - Grade 304

Code	D (mm)	Finish	Pack Qty
EDQ082	8	84,102	2
EDQ102	10	84,102	2
EDQ122	12	84,102	2



Luxe Plated Finish on Page 86



Stainless Steel Quadrant Trim & Corners



Stainless Steel Quadrant Trim - Grade 304

Code	D (mm)	Length (m)	Finish	Box Qty
ESQ060	6	2.5	84,102	10
ESQ080	8	2.5	84,102	10
ESQ100	10	2.5	84,102	10
ESQ120	12	2.5	84,102	10



Stainless Steel Quadrant Trim - Grade 316

Code	D (mm)	Length (m)	Finish	Box Qty
ESQ308	8	2.5	84,102	10
ESQ310	10	2.5	84,102	10
ESQ312	12	2.5	84,102	10

Stainless Steel Quadrant Trim Corners - Grade 304


Code	D (mm)	Finish	Pack Qty
ECQ082	8	84,102	2
ECQ102	10	84,102	2
ECQ122	12	84,102	2

Stainless Steel Listello



Code	W x D (mm)	Length (m)	Finish	Box Qty
LPS250	25 x 8	2.5	84,102	10
LPS400	40 x 8	2.5	84,102	10



Flat Line Listello



Code	W x D (mm)	Length (m)	Finish	Box Qty
LFA100	10 x 8	2.5	81,86,91,94,101	20
LFA200	20 x 8	2.5	91,94	20



Aluminium Listello






PROTECTIVE FILM



Code	W x D (mm)	Length (m)	Finish	Box Qty
LPA100	10 x 7	2.5	91,94	20
LPA250	25 x 7	2.5	91,94	20

Glass Panel / Shadow Gap




Code	D (mm)	Length (m)	Finish	Box Qty
LGA080	8	2.5	91	10
LGA100	10	2.5	91	10
LGA125	12.5	2.5	91	10

Aluminium Clip On Skirting, Corners & End Caps



Code	W x D (mm)	Length (m)	Finish	Box Qty
KAC710	10 x 70	2.5	81	10
External Corners				
Code	W x D x L (mm)	Description	Finish	Pack Qty
KEC710	10 x 70 x 80	Pre-formed external corner	81	1
KIC710	10 x 70 x 80	Pre-formed internal corner	81	1
End Caps				
Code	W x D (mm)	Description	Finish	Pack Qty
KLC710	10 x 70	Left end cap	81	1
KRC710	10 x 70	Right end cap	81	1

Aluminium Skirting, Corners & End Caps





Code	D (mm)	Length (m)	Finish	Box Qty
KAA607	60	2.7	81	10
KAA807	80	2.7	81	10
KAA107	100	2.7	81	10

P.V.C. Corners & End Caps


Code	Description	Finish	Box Qty
KPE600	External Corner for KAA600	11	20
KPI600	Internal Corner for KAA600	11	20
KPC600	Pair End Caps (L/R) for KAA600	11	20
KPE800	External Corner for KAA800	11	20
KPI800	Internal Corner for KAA800	11	20
KPC800	Pair End Caps (L/R) for KAA800	11	20
KPE100	External Corner for KAA100	11	20
KPI100	Internal Corner for KAA100	11	20
KPC100	Pair End Caps (L/R) for KAA100	11	20

Aluminium Retro-Fit Corner Protector





Code	W x D (mm)	Length (m)	Self-Adhesive	Finish	Box Qty
EAA100	10 x 10	2.5	Yes	81,91	20
EAA250	25 x 25	2.5	Yes	81,91	20
EAA254	25 x 25	2.5	No	81	20

Stainless Steel Retro-Fit Corner Protector - Self Adhesive



Code	W x D (mm)	Length (m)	Finish	Box Qty
EAS154	15 x 15	2.5	84,102	10
EAS304	30 x 30	2.5	84,102	10
EAS504	50 x 50	2.5	84,102	10
EAS515	50 x 50	2.5	84	10

Stainless Steel Protector




Code	W x D (mm)	Length (m)	Finish	Box Qty
EPS310	30 x 10	2.5	84,102	10
EPS312	30 x 12	2.5	84,102	10
EPS510	50 x 10	2.5	84,102	10
EPS512	50 x 12	1.5	84,102	10

Panel Profiles



The use of PVC Wall Cladding in Bathrooms is a trend not to be ignored. Large continuous format panels with a dry installation make it perfect for quick, commercial or budget installations and now Genesis have the range of accessory profiles to suit. Offering profiles for 7.5mm, 10.5mm and 11.5mm panels in Aluminium and a number of popular finishes to give your installation The Perfect Finish.

End - U



Code	W x D(mm)	Length (m)	Finish	Box Qty
PUA708	9 x 7.5	2.4	01,81,82,91	50
PUA108	9 x 10.5	2.4	01,81,82	50
PUA118	6 x 11.5	2.4	91	50

External



Code	W x D (mm)	Length (m)	Finish	Box Qty
PXA708	26 x 7.5	2.4	01,81,82,91	25
PXA108	30 x 10.5	2.4	01,81,82	25
PXA118	30 x 11.5	2.4	91	25

H - Joint

01 White



81 Matt Silver



82 Anthracite



91 Bright Silver



Code	W x D (mm)	Length (m)	Finish	Box Qty
PHA708	10 x 7.5	2.4	01,81,82,91	50
PHA108	10 x 10.5	2.4	01,81,82	50
PHA118	11 x 11.5	2.4	91	50

Internal

01 White



81 Matt Silver



82 Anthracite



91 Bright Silver




Code	W x D (mm)	Length (m)	Finish	Box Qty
PIA708	10 x 7.5	2.4	01,81,82,91	25
PIA108	15 x 10.5	2.4	01,81,82	25
PIA118	15 x 11.5	2.4	91	25

Base Seal



Code	W x D (mm)	Length (m)	Finish	Box Qty
PBA708	14 x 7.5	2.4	01,81,82,91	50
PBA108	14 x 10.5	2.4	01,81,82,91	50

Retro-Fit



Code	W x D (mm)	Length (m)	Finish	Box Qty
PRA258	25 x 25	2.4	01,81,91	50

Scotia Retro Fit



Code	W x D (mm)	Length (m)	Finish	Box Qty
PSA308	30 x 19	2.4	01,81,91	50

Marketing



A vast range of eye-catching marketing materials are available to help promote your Genesis products, from robust display stands that offer an excellent way of displaying full length trims to smaller point of sale displays. Promotional items that help to represent the Genesis brand by combining functionality with advertising with such items as mugs, pens, calendars, note pads etc.

**Bespoke marketing materials
are available on request.**


Z103 1m Maxi Stand



- 24 hooks (clips onto top of stand 2 x 12) suspends profiles
- 10 euro hooks (for tools or corner pcs)
- Divider bar clips onto back to divide profiles
- Each hook holds on average 10 profiles
- 50/50 Split 120 profiles and tools
- 240 profiles

Code	Description	Qty
Z103	1m Genesis Display	1
Z112	Euro Hooks (double prong)	10
Z151	Replacement Header	1

Z100 Mini Stand



- A bespoke unit to display the Genesis range of tools
- A simple grid system to display products
- Supplied with a display tray and 20 euro hooks
- Ideal for hanging tools
- 15 profile location points

Code	Description	Qty
Z100	Tool Stand	1
Z112	Euro Hooks (double prong)	10

Z110 1m Deluxe Stand



- Grid unit with squares for Euro hooks, complete with 12 Euro hooks, 4 dividers and integral price tags
- Rubber mat and specially strengthened base ideal for Metal profiles
- Profiles are simply leaned against the back of the display and rested on the rubber mat on the base
- Works on its own or combined to form a run of displays for larger showrooms
- Dividers create 18 sections on this display
- Each section holds on average 20 profiles depending on the profile shape and size
- The display unit can also be slit 50/50 to display 9 divided sections of profiles and then use the euro hooks to display tools on the other half of the stand. If used this way the stand will hold approximately 180 profiles
- If all 24 divider spaces are used approximately 360 profiles can be displayed
- Complete assembly instructions are included with each display stand

Personalised Samples Panel for Z110



A brand-new stand attachment is available for the Z110, offering an installed vision of the 4 profile designs offered by Genesis; Triangular, Square, Straight and Round. The Z109 also acts as a sales aid for highlighting and upselling the use of corner pieces to clients and homeowners allowing them to keep their options open on design and finish.

Code	Description	Qty
Z110	Lean back Display Unit	1
Z111	Single prong hooks	10
Z113	300mm Extension	1
Z109	Framework (board not included)	1
Z109-BOARD	Genesis Branded Board	1
Z109-BESPOKE	Personalised Board	1
Z420	Replacement Header	1



Transition Stand




- 11 hooks to hold Genesis 0.92m lengths of transition profiles
- Comes complete with Genesis header

Code	Description	Qty
2015	Transition Stand	1

External Banner

NEW DESIGN



1290 mm

Code	Description	Qty
Z880	External Banner 0.6 x 1.8 m	1

Genesis Logo Mat



Code	Description	Qty
Z703	Genesis Logo Mat 90 x 60 cm	1




Samples Folders



Code	Description
Z870	RezTred® and Accessibility
Z871	Entrance Matting
Z424	Metal Profiles
Z425	Ramps and Transitions
Z428	Movement Joints & Nosing
Z429	PVC Profiles
Z430	Edge Protection and Skirting



Samples Boards




Code	Description
Z422	Self Adhesive
Z865	Panel Profiles
Z889	Transitions Board
Z890	Metal Trim Samples Board (1)
Z895	PVC Trim Samples Board
Z897	Metal Trim Samples Board (2)



Code	Description
Z888	Triangular POS Board


Display Modules

- Individual modules constructed with ceramics specified by you and using prescribed Genesis profiles to create the perfect point of sale display
- These modules have been designed to show a selection of Genesis Profiles and perfectly illustrate the function of the product as well as the aesthetics.
- Eye-catching and perfect for displaying corner pieces.



Code	Description	Qty
Z123	Display Module	1

Sample Cases



Code	Description	Qty
Z751	Genesis Flooring Sample Case	1
Z752	Contract Tiling Sample Case	1

Catalogue & Price List



Code	Description	Qty
Z313	Genesis Catalogue	50
Z312	Genesis Price List	50
Z405	Contract Flooring Price List	50

Wall Chart



Code	Description
Z324	Wall Chart (A1)

Travel Mug



Code	Description
Z802	Insulated Travel Mug

2019 Desk Calendar



Code	Description
Z-CALENDAR	2019 Desk Calendar

Note Pads



Code	Description
Z602	A4 Note Pad
Z501	A6 Note Pad

Pen



Code	Description
Z801	Pen

Stair Nosings	2 – 23
Technical Information	3-6
Insert Options	7-8
NXF/S	10
Slimline	11-14
Heavy Duty	15-18
P.V.C	19-20
Angles & Accessories	21
Template	23

Step Edges	24 – 31
Heavy Duty / Slimline	25-26
Retro Fit	27-28
Tile In	29-31

Vision	32 – 45
Introduction	33-34
Stair Nosing	35-36
Skirting	37
Edge / Multibox	38
TredLite	39
Lighting Systems	40-42
Drivers / Accessories	43-45

Anti-Slip, Matting & Access	46 – 53
RezTred®	47-48
Tactiles	49-51
Entrance Matting	51-53

Transitions, Covers & Ramps	54 – 63
Self Adhesive	55
Fast Fit Invisible System	56-58
Vinyl Tread	59
Z-Bar	60
Clip Tops	61
Tile-In & Access Ramps	61-63
Reducers	63

Movement joints	64 – 71
Technical Information	65-66
Compression Joints	67
PVC Tile Joints	68
Heavy Duty	69-70

Structural Joints	72 – 75
Heavy Duty	73-74
Covers	75

P.V.C Trim	76 – 82
Round Edge Corners	77-78
Internal Cove	78
Straight and Square	79
Bath Seals	80-81
Cap Tile / Tile to Vinyl	81
Eco Trim	82
Corner Protector	82

Flexibles	83 – 85
Skirting	84
Cove Former	84
Dim Strip	85
Capping Strip	85

Luxe	86 – 89
Swarovski Crystals	87
Plated Stainless Steel	88
Solid Brass	89

Metal Trim & Listello	90 – 109
Aluminium Straight	91-92
Aluminium Square	93-96
Aluminium Round	97-98
Aluminium Triangular	99
Aluminium Cove	100
Dividing Strips	101
Stainless Straight	102
Stainless Angle	103
Stainless Square	103
Stainless Round	104
Listello	105-106
Shadow Gap / Glass Panel	106
Aluminium Skirting	107-109
Corner Protectors	109

Panel Profiles	110 – 113
End U & External	111
H Joints & Internal	112
Base Seal, Retro Fit & Scotia	113

Marketing	114 – 123
Display Stands	115-119
Display / Samples	120-122
Promotional Items	123

AHB	19	ETR	77	MHS	69	PIA	112
AHD	17	ETS	103	MLB	68	PRA	113
AHP	19	EVC	81	MLT	68	PSA	113
ASB	19	EVT	81	MMA	70	PTL	80
ASL	13	EVU	81	MSA	70	PTP	79
ASP	19	EWA	100	MSI	70	PTR	80
ASR	19	EWC	100	MSS	69	PTS	80
ATC	25	EWE	100	MVP	67	PUA	111
ATS	26	EWI	100	NALR	36	PXA	111
CAS	53	FTCH	50	NAS	27,55	R61	53
EAA	109	FTP	50	NAT	27,55	R80	52
EAC	97,98	FTSS	50	NEC	35,36	RAA	62
EAD	96	GC27	75	NFA	29	RAD	63
EAM	95	GC28	75	NHB	19	RAR	63
EAQ	97	GFS	73	NHD	15	RDIM	85
EAS	109	GFG	73	NHP	19	RSA	62
EAT	99	KA A	108	NIA	8	RSS	61
ECG	93	KAC	107	NIB	29	RUA	62
ECK	96	KCOV	84	NIHD	8	SBS	80
ECQ	104	KCS	85	NIS	8	SMP	80
ECT	82	KEC	107	NITR	8	SMT	80
EDA	101	KIC	107	NLC	29	SPS	80
EDP	94	KLC	107	NLD	38	SRE	81
EDQ	88,103	KLD	37	NLM	28	SRI	81
EDS	101	KPC	108	NLT	30	SRP	81
EET	99	KPE	108	NPC	37,38	SRT	81
EFA	91	KPI	108	NRA	27	SSP	80
EFU	81	KRC	107	NRE	28	TAS	55
EIK	96	KSI	84	NRES	48	TAV	55
EIQ	97,98	KSO	84	NSA	21	TBAS	61
EIT	99	LCT	43	NSB	19	TCC	56-57
EM89	51	LD12	43	NSL	11	TCG	56-57
EMA	92	LDD	43	NSLR	35	TCR	57
EMG	95	LDP	44	NSP	19	TCS	56
EPS	109	LDW	44	NSR	19	TDB	89
EQQ	88,103	LED	43,44	NSS	30	TDG	93
ERA	98	LFA	105	NTAB	21	TDP	87,94
ERP	82	LFL	40	NTC	25	TGA	60
ESA	87,91	LGA	106	NTL	21	TGS	60
ESB	89	LGB	43,44	NTS	26	TLD	38
ESC	91	LGB12	42	NUC	29	TMG	95
ESF	102	LLA	39	NXF/S	10	TPP	79
ESP	79	LNR	39	PBA	113	TSC	59
ESQ	104	LPA	106	PCL	78	TSL	59
ESS	88,102	LPS	105	PDL	77	TTC	57
ETA	98	LUND	43	PDM	77	TTG	57
ETC	98	MCA	67	PDP	77	TTOP	61
ETI	78	MCB	67	PDX	77	TUC	38
ETP	78	MCS	67	PHA	112	TVA	63

Depth

Metric (mm)	Imperial (Inches)
6	1/4"
8	5/16"
10	3/8"
12	1/2"
15	5/8"
18	3/4"
22.5	9/10"



Length

Metric (M)	Imperial (Feet)
0.92	2'11"
1.7	5'6"
1.8	5'10"
1.85	6'1"
2	6'6"
2.46	8'1"
2.5	8'2"
2.6	8'6"
2.7	8'10"
2.77	9'
2.8	9'1"
3	9'10"
3.22	10'6"
3.4	11'2"
15	49'2"
20	65'7"

Tile Calculator

Tile Size	Tiles / Sq Mtr
100mm x 100mm	100
150mm x 150mm	44
165mm x 165mm	37
200mm x 100mm	50
200mm x 200mm	25
250mm x 200mm	20
280mm x 280mm	13
300mm x 100mm	33.33
300mm x 150mm	44
300mm x 200mm	16.67
300mm x 300mm	11
305mm x 305mm	10.75
310mm x 310mm	10.5
316mm x 316mm	10
330mm x 250mm	12
330mm x 330mm	9
333mm x 333mm	9
400mm x 200mm	12.5
400mm x 300mm	8
400mm x 400mm	6.25
445mm x 445mm	5
450mm x 300mm	7.5
450mm x 450mm	5
490mm x 490mm	4.17
500mm x 500mm	4
600mm x 300mm	5.55
600mm x 400mm	4
600mm x 600mm	2.78
610mm x 310mm	5.25
610mm x 410mm	4
800mm x 800mm	1.56
903mm x 305mm	3.5
1000mm x 500mm	2
1000mm x 1000mm	1



TEBO®

Telefon: 08 96 70 44 Email: info@tebo.se
www.tebo.se

TEBO Byggtillbehör AB - Blygatan 5 - 195 72 - Rosersberg



Genesis
For the Perfect Finish