

# 2017

Product Range



**Tebo**  
BYGGTILLBEHÖR



**Genesis**

For the Perfect Finish

# Contents

-  **STAIR NOSINGS** - Performance, safety and style and some new innovative solutions for all floor surfaces
-  **FLEXIBLES** - Finishing profiles in P.V.C. for soft flooring applications
-  **ACCESS** - The complete range of tactiles, entrance matting and accessories to suit all aspects of installations
-  **TRANSITIONS, COVERS & RAMPS** - An extensive selection of profiles to solve those floor finishing problems
-  **MOVEMENT JOINTS** - For all applications including structural joints and commercial grade covers
-  **EDGE PROTECTION** - Specifically designed for heavy traffic and commercial areas
-  **P.V.C. TRIM** - A huge range of quality P.V.C. finishing profiles perfect for ceramic tiles
-  **METAL TRIM & LISTELLO** - Aluminium and Stainless Steel profiles in many sizes and finishes
-  **TOOLS** - A comprehensive range of professional tools for any tiling task
-  **PPE** - Protection equipment for all industries to suit DIY and professionals
-  **BASIC TOOLS** - A focused range of tools providing a cost effective alternative
-  **SOFT FLOORING TOOLS** - A range of top quality focused tools for the soft flooring installer
-  **MARKETING** - Point of Sale, Display, Literature and Samples Systems helping to promote the Genesis range

Art Z313 – 2017



# Stair Nosing

We offer you a combination of profiles to suit all types of stairs and installation requirements. Carpet, laminate, tile or vinyl solutions can be found and we even produce bespoke profiles and offer comprehensive drilling, forming and finishing services.

Excellent technical support for installations and materials is available.



## Nosing Insert Slip Resistance

Slip-resistance tests have been independently undertaken by Lucideon Ltd using the pendulum and inclined platform test.

### Inclined Platform Test DIN 51130:2010

Average of Six Shod Results (Corrected): 22.9° (Standard) 24.7 (Tredsafe®)

#### Category: R11

The critical angle at which a test person reaches the limit of safe walking on an inclined plane is used as a measure of slip resistance.

### Pendulum Test BS 7976-2:2002

**PTV Average Dry Value: 66 (Standard) 57 (Tredsafe®)**

**PTV Average Wet Value: 54 (Standard) 47 (Tredsafe®)**

The energy absorbed by contact with the pre-set distance is read from a physical scale by a pointer that follows the overswing of the pendulum arm. 12 results are averaged to give the final pendulum number which is used to categorise the tile surface.

The UK slip resistance group recommends the following guidelines;

| PTV        | Slip Potential |
|------------|----------------|
| 0-24       | High           |
| 25-35      | Moderate       |
| <b>36+</b> | <b>Low</b>     |



## LRV's – Clarification

Reflectance is the proportion of light that a surface reflects compared to the amount or volume of light that falls on the said surface. An LRV is a value given to a surface to identify the amount of light reflected. People with impaired vision can perceive light and dark, therefore LRV's are a suitable method to measure contrast between 2 different surfaces.

Note that dark, matt or textured surfaces absorb a large amount of light, therefore have low reflectance values, however a combination of one or all light, shiny or smooth surfaces reflect the majority of light and therefore have higher reflectance values.

In order to achieve a suitable contrast between different surfaces, ADM 2004 recommend at least a 30 point difference in the LRV's of the two contrasting surfaces.

## Genesis and Tredsafe® Stair Nosing Inserts Light Reflectance Values

| Genesis Colour   | LRV  | RAL  |
|------------------|------|------|
| 01 White         | 79.9 | 9003 |
| 16 Black         | 4.5  | 9004 |
| 20 Brown         | 9.1  | 8014 |
| 25 Beige         | 41.1 | 1001 |
| 27 Canvas        | 53.2 | 1013 |
| 28 Green         | 6.3  | 6005 |
| 30 Red           | 10.6 | 3031 |
| 43 Dolphin Grey  | 27.6 | 7042 |
| 44 Ice Grey      | 42.1 | 7001 |
| 46 Midnight Grey | 12.8 | 7024 |

| Genesis Colour | LRV  | RAL  |
|----------------|------|------|
| 47 Yellow      | 55.7 | 1018 |
| 48 Cobalt Blue | 9.2  | 5000 |
| 52 Lime        | 30.4 | 6011 |
| 109 Sky Blue   | 13.5 | 5015 |
| 113 Tangerine  | N/A  | 2000 |
| 601 White      | 82.7 | 9003 |
| 616 Black      | 4.8  | 9004 |
| 643 Mid Grey   | 18.3 | 7000 |
| 647 Yellow     | 46.1 | 1012 |




Please note the RAL numbers in the above table is a guide only and cannot guarantee an exact match as there are a number of variables within the manufacturing process.

## Drilling Instructions

### Drill using Genesis countersunk drill bit

Start 75mm from each end and set all holes equally as indicated for single and double channel.

| Length      | No. of Holes |
|-------------|--------------|
| 600 - 699   | 2            |
| 700 - 1099  | 3            |
| 1100 - 1399 | 4            |
| 1400 - 1799 | 5            |
| 1800 - 2099 | 6            |
| 2100 - 2499 | 7            |
| 2500 - 2799 | 8            |
| 2800 - 3200 | 9            |



## Installation - Mechanical Fix



**1**  
Prepare surface, it must be clean, smooth and free of debris.



**2**  
Position the profile, check the fit and mark the drill holes.



**3**  
Drill and Plug to suit the screw size.



**4**  
Apply adhesive as per manufacturer's instructions.



**5**  
Position onto step.



**6**  
Mechanically fix.



**7**  
Insert plug.



**8**  
Remove protective film when applicable.

If fixing inserts separate follow steps 1 – 6, remove release paper from channel and position insert ends flush applying pressure towards the centre finishing with hand roller to ensure adhesion.

## Installation - Adhesive




**1**  
Prepare surface, it must be clean, smooth and free of debris.



**2**  
Apply 5mm bead to the underside of the profile, 2 lines for Single and 3 for double channel.




**3**  
Position, press and slide to ensure full bond.



**4**  
Allow min. 1 hour after fixing. It is the contractor's responsibility to ensure the bond is secure before opening the area.


**Installer must follow individual manufacturers guidelines**

## Slimline Aluminium Nosings (Nosing finish 80 - Mill Aluminium)






# Stair Nosing



| Code             | W x D (mm) | Insert Option                                  |
|------------------|------------|------------------------------------------------|
| NSL01            | 56 x 32    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109,113 |
| NSL02            | 57 x 32    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109,113 |
| NSL03            | 57 x 40    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109,113 |
| NSL09            | 85 x 32    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109     |
| NSL10            | 85 x 32    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109     |
| NSL15            | 66 x 32    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109,113 |
| NSL16            | 66 x 32    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109,113 |
| NSL19            | 56 x 55    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109,113 |
| NSL20            | 57 x 55    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109,113 |
| NSL21            | 67 x 55    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109,113 |
| NSL23*           | 68 x 33    | 16,47                                          |
| NSL25            | 69 x 40    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109,113 |
| NSL26            | 67 x 55    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109,113 |
| NSL27            | 69 x 55    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109,113 |
| NSL28            | 69 x 55    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109,113 |
| NSL29 <b>NEW</b> | 87 x 40    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109     |

Available in 2.46m, 2.77m, 3.22m Standard Lengths. \*3m Standard Lengths

## Channel




## Anodising - Maximum length 3m




An alternative range of anodising and powder coated options are also available in addition to these standard finishes.


## Insert (external Tredsafe® available, details on page 15-16)



## Inserts



## Heavy Duty Aluminium Nosings (Nosing Finish 80 - Mill Aluminium)




# Stair Nosing

| Code  | W x D (mm) | Insert Option                                 |
|-------|------------|-----------------------------------------------|
| NHD05 | 60 x 32    | 01,16,20,25,27,28,30,43,44,46,47,48,52,80,109 |
| NHD06 | 63 x 32    | 01,16,20,25,27,28,30,43,44,46,47,48,52,80,109 |
| NHD07 | 70 x 40    | 01,16,20,25,27,28,30,43,44,46,47,48,52,80,109 |
| NHD08 | 71 x 55    | 01,16,20,25,27,28,30,43,44,46,47,48,52,80,109 |
| NHD11 | 91 x 32    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109    |
| NHD12 | 93 x 32    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109    |
| NHD13 | 91 x 35    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109    |
| NHD17 | 60 x 55    | 01,16,20,25,27,28,30,43,44,46,47,48,52,80,109 |
| NHD22 | 72 x 55    | 01,16,20,25,27,28,30,43,44,46,47,48,52,80,109 |
| NHD24 | 60 x 55    | 01,16,20,25,27,28,30,43,44,46,47,48,52,80,109 |
| NNL01 | 40 x 10    | 80                                            |
| NNL02 | 20 x 3.5   | 80                                            |

Available in 2.46m, 2.77m, 3.22m Standard Lengths.

## Inserts

(external Tredsafe® available, details on page 17-18)



## Channel


Anodising - Maximum length 3m





## Insert



## Aluminator™ Heavy Duty Nosings (Nosing Finish 80 - Mill Aluminium)



# Stair Nosing



| Code   | W x D (mm) | Insert Option                              |
|--------|------------|--------------------------------------------|
| AHD05  | 60 x 32    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| AHD06  | 63 x 32    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| AHD07  | 70 x 40    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| AHD08  | 71 x 55    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| AHD11  | 91 x 32    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| AHD12  | 93 x 32    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| AHD13  | 91 x 35    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| AHD17  | 60 x 55    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| AHD22  | 72 x 55    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| AHD23* | 68 x 33    | 16 (with <b>Aluminator</b> Strip)          |
| AHD24  | 60 x 55    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |

Available in 2.46m, 2.77m, 3.22m Standard Lengths. \*3m Standard Lengths

## Channel





## Anodising - Maximum length 3m



## Channel (AHD23)




## Insert (external Tredsafe® available, details on page 19-20)




## Tredsafe® External Insert






Tredsafe® Inserts are now available in **ALL** NSL, NHD, NTC and AHD profiles.



### Finishes



### Range





## Description

Tredsafe insert is manufactured from a special blend of P.V.C., silica quartz and polymeric plasticiser giving an homogeneous hard wearing anti-slip flooring for wet and dry conditions. (Meets British Standard for Sheet Vinyl and Vinyl Tiles BS3261:1973).

## Resistance Properties

Tredsafe insert is resistant to attack from ultraviolet light, oil, grease, petrol, salt, dilute acids and alkalis, common household chemicals and detergents. Organic solvents will soften Tredsafe insert.

## Maintenance

Tredsafe insert is produced with a polyurethane coating which reduces dirt retention. The three dimensional pyramid pattern which provides excellent slip resistance in the wet will require more care than a smooth flooring surface. As with any flooring, regular maintenance is important to prevent excessive soiling. Cleaning is best achieved by scrubbing with a bristle brush in conjunction with warm soapy water. Commercial cleaning machines such as the "Scrub-Vac" are also suitable

## Residual Indentation

(2.5mm dial gauge) Mean 0.05mm

## Dimensional Stability

80°C for 6 hours) 0.12%

## Moisture Movement

23°C for 24 hours) 0.02%

## Elastic Property

(Tensile Strength 2.48mj/m<sup>3</sup>

## Heat Ageing

(70°C for 15 days) Exudation None,  
Colour Change None

## Wear Resistance - Taber Abrader

1kg load = 1000 revs.

H18 wheel @ 60 rpm = 0.6gm Weight Loss

## Slip Resistance

Inclined Platform Test DIN 51130:2010

Mean 24.7° Class R11

Pendulum Test BS 7976-2:2002

PTV Average Dry 57

PTV Average Wet 47

The UK slip resistance group recommends the following guidelines;

| PTV   | Slip Potential |
|-------|----------------|
| 0-24  | High           |
| 25-35 | Moderate       |
| 36+   | Low            |

## Flammability and Smoke Density

Flame Spread = 0

Smoke Dev = 7


Australian Std Test: 1530.3.1982

Mean Critical radiant flux 10.3kw/m<sup>2</sup>


Mean smoke development rate 85  
percentage minutes

Australian Std Test: AS/ISO 9239.1 2003


Slimline Aluminium Nosing with Tredsafe (Nosing finish 80 - Mill Aluminium)



# Stair Nosing External



NSL01



NSL19

| Code  | W x D (mm) | Insert Option   |
|-------|------------|-----------------|
| NSL01 | 56 x 32    | 601,616,643,647 |
| NSL02 | 57 x 32    | 601,616,643,647 |
| NSL03 | 57 x 40    | 601,616,643,647 |
| NSL09 | 85 x 32    | 601,616,643,647 |
| NSL10 | 85 x 32    | 601,616,643,647 |
| NSL15 | 66 x 32    | 601,616,643,647 |
| NSL16 | 66 x 32    | 601,616,643,647 |
| NSL19 | 56 x 55    | 601,616,643,647 |
| NSL20 | 57 x 55    | 601,616,643,647 |
| NSL21 | 67 x 55    | 601,616,643,647 |
| NSL25 | 69 x 40    | 601,616,643,647 |
| NSL26 | 67 x 55    | 601,616,643,647 |
| NSL27 | 69 x 55    | 601,616,643,647 |
| NSL28 | 69 x 55    | 601,616,643,647 |
| NSL29 | 87 x 40    | 601,616,643,647 |

Available in 2.46m, 2.77m, 3.22m Standard Lengths.

## Channel



## Anodising - Maximum length 3m














An alternative range of anodising and powder coated options are also available in addition to these standard options.


## Insert



## Heavy Duty Aluminium Nosings (Nosing Finish 80 - Mill Aluminium)




NNL01 Carpet Connector




NNL02 Ramp Connector

# Stair Nosing External



NHD17



NHD11

| Code  | W x D (mm) | Insert Option   |
|-------|------------|-----------------|
| NHD05 | 60 x 32    | 601,616,643,647 |
| NHD06 | 63 x 32    | 601,616,643,647 |
| NHD07 | 70 x 40    | 601,616,643,647 |
| NHD08 | 71 x 55    | 601,616,643,647 |
| NHD11 | 91 x 32    | 601,616,643,647 |
| NHD12 | 93 x 32    | 601,616,643,647 |
| NHD13 | 91 x 35    | 601,616,643,647 |
| NHD17 | 60 x 55    | 601,616,643,647 |
| NHD22 | 72 x 55    | 601,616,643,647 |
| NHD24 | 60 x 55    | 601,616,643,647 |
| NNL01 | 40 x 10    | 80              |
| NNL02 | 20 x 3.5   | 80              |

Available in 2.46m, 2.77m, 3.22m Standard Lengths.

## Channel


Anodising - Maximum length 3m




## Insert




## Aluminator™ Heavy Duty Nosings (Nosing Finish 80 - Mill Aluminium)



# Stair Nosing External



AHD11




AHD05

| Code  | W x D (mm) | Insert Option                              |
|-------|------------|--------------------------------------------|
| AHD05 | 60 x 32    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| AHD06 | 63 x 32    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| AHD07 | 70 x 40    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| AHD08 | 71 x 55    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| AHD11 | 91 x 32    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| AHD12 | 93 x 32    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| AHD13 | 91 x 35    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| AHD17 | 60 x 55    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| AHD22 | 72 x 55    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| AHD24 | 60 x 55    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |

Available in 2.46m, 2.77m, 3.22m Standard Lengths. \*3m Standard Lengths

## Channel

## Anodising - Maximum length 3m




## Insert






## Hard Nose P.V.C

### Heavy Duty



### Slimline



### Heavy Duty


| Code | W x D (mm) | Channel Finish | Infill Finish                              |
|------|------------|----------------|--------------------------------------------|
| NHP  | 65 x 33    | 16,20,46,48    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| NRP  | 65 x 33    | 16,20,46,48    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| NHB  | 65 x 32    | 16,20,46,48    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |

### Slimline


|     |         |             |                                            |
|-----|---------|-------------|--------------------------------------------|
| NSP | 60 x 31 | 16,20,46,48 | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| NSR | 59 x 31 | 16,20,46,48 | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| NSB | 60 x 31 | 16,20,46,48 | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |

Available in 3.22m lengths

### Channel



### Insert



## Inserts

### NISL38




| Insert | Type     | Size (mm) | Colour options                             | Fits             | External |
|--------|----------|-----------|--------------------------------------------|------------------|----------|
| NISL38 | Standard | 38 x 2    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 | NSL Twin Channel | No       |

### NISL50




| Insert | Type     | Size (mm) | Colour options                                 | Fits               | External |
|--------|----------|-----------|------------------------------------------------|--------------------|----------|
| NISL50 | Standard | 50 x 2    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109,113 | NSL Single Channel | No       |

### NIHD38




| Insert | Type     | Size (mm) | Colour options                             | Fits             | External |
|--------|----------|-----------|--------------------------------------------|------------------|----------|
| NIHD38 | Standard | 38 x 3.5  | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 | NHD Twin Channel | No       |

### NIHD50




| Insert | Type     | Size (mm) | Colour options                             | Fits               | External |
|--------|----------|-----------|--------------------------------------------|--------------------|----------|
| NIHD50 | Standard | 50 x 3.5  | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 | NHD Single Channel | No       |

### NIA50




| Insert | Type        | Size (mm) | Colour options | Fits               | External |
|--------|-------------|-----------|----------------|--------------------|----------|
| NIA50  | Castellated | 50 x 3.5  | 80             | NHD Single Channel | No       |

### NITR38




| Insert | Type     | Size (mm) | Colour options  | Fits                  | External |
|--------|----------|-----------|-----------------|-----------------------|----------|
| NITR38 | Tredsafe | 38 x 3    | 601,616,643,647 | NSL, NHD Twin Channel | Yes      |

### NITR50



| Insert | Type     | Size (mm) | Colour options  | Fits                    | External |
|--------|----------|-----------|-----------------|-------------------------|----------|
| NITR50 | Tredsafe | 50 x 3    | 601,616,643,647 | NSL, NHD Single Channel | Yes      |

## Stair Edge Trim Pre-Formed / Landing Strip



Side Profile


| Code   | D (mm) | Length (mm) | Finish         | Style    | Box Qty |
|--------|--------|-------------|----------------|----------|---------|
| NSA290 | 42     | 350         | 16,20,46,48,80 | Straight | 10      |
| NSA283 | 42     | 350         | 16,20,46,48,80 | Rakeback | 10      |
| NTL1   | 42     | 2500        | 16,20,46,48,80 |          | 10      |

Finish 16,20,46 and 48 are P.V.C. Finish 80 is Aluminium



## Stair Edge Trim Clips

| Code  | D (mm)  | Pack Qty       |
|-------|---------|----------------|
| NTAB1 | 4.5 / 7 | Dual Height 20 |



Side Profile of NSA/NTL with NTAB1


## Templates/Curves

Aluminium stair casings can be made to fit most irregular shapes and curves. However each curved step must be treated individually and a separate template made for each using card, felt or paper. Follow these three simple steps as an easy guide to the perfect edge.

### Step 1

Place the card or felt on top of the curve that requires a template and draw a line underneath with a felt pen or marker (see Figure 1) following the edge of the curve to create a smooth line.


**Figure 1**



### Step 2

Cut the shape along the felt pen mark (Figure 2) and clearly indicate the top and front edge of the template.


**Figure 2**



### Step 3





Clearly mark on the template, the customer name and reference, the profile required, the colour insert required and finally whether your curve is required drilled or undrilled (Figure 3).

**Figure 3**



For assistance with any aspect of measuring or making templates please speak to Technical Services.

## Heavy Duty Ceramic Tile-In Nosing (Nosing finish 81 - Matt Silver)



# Stair Nosing


| Code               | W x D (mm) | Insert Option                              |
|--------------------|------------|--------------------------------------------|
| NTC10              | 74 x 10    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| NTC12              | 74 x 12.5  | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| <b>Aluminator™</b> |            |                                            |
| ATC10              | 74 x 10    | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| ATC12              | 74 x 12.5  | 01,16,20,25,27,28,30,43,44,46,47,48,52,109 |
| <b>Tredsafe</b>    |            |                                            |
| NTC10              | 74 x 10    | 601,616,643,647                            |
| NTC12              | 74 x 12.5  | 601,616,643,647                            |

Available in 3.22m Standard Lengths.


## Channel



## Tredsafe® Insert (see page 13-14)



## Insert




## Aluminium Retro-Fit

80 Mill Aluminium

81 Matt Silver

83 Matt Brass




| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| NRA258 | 24 x 19    | 2.8        | 81,83  | 20      |
| NRA50  | 50 x 30    | 2.77       | 80     | 10      |

## Aluminium Self Adhesive Retro-Fit

40 Oak




81 Matt Silver

83 Matt Brass



| Code   | W x D (mm) | Length (m) | Finish   | Box Qty |
|--------|------------|------------|----------|---------|
| NAS207 | 30 x 20    | 2.7        | 40,81,83 | 10      |
| NAS209 | 30 x 20    | 0.9        | 40,81,83 | 10      |
| NAS107 | 25 x 10    | 2.7        | 40,81,83 | 10      |
| NAS109 | 25 x 10    | 0.9        | 40,81,83 | 10      |

## Flexible P.V.C. Nosings





| Code  | W x D (mm) | Length (m) | Finish | Box Qty |
|-------|------------|------------|--------|---------|
| NFL02 | 50 x 30    | 3.22       | 16     | 10      |
| NFL03 | 60 x 37    | 3.22       | 16     | 10      |
| R3041 | 45 x 35    | 3.00       | 16     | 10      |

| Code  | W x D (mm) | Length (m) | Finish | Box Qty |
|-------|------------|------------|--------|---------|
| R3043 | 45 x 35    | 3.00       | 43     | 10      |
| R3051 | 40 x 35    | 3.00       | 16     | 10      |
| R3053 | 40 x 35    | 3.00       | 43     | 10      |


# Stair Nosing

## Aluminium Nosing with Black Rubber Insert




| Code  | W x D (mm) | Length (m) | Finish | Box Qty |
|-------|------------|------------|--------|---------|
| NRE05 | 54 x 30    | 2.77       | 81     | 10      |

## Aluminium Tile-In



| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| NLM103 | 26 x 10    | 3          | 81     | 10      |
| NLM123 | 26 x 12    | 3          | 81     | 10      |

## Aluminium Tile-In **Aluminator™**



| Code   | D (mm) | Length (m) | Finish | Box Qty |
|--------|--------|------------|--------|---------|
| ALM106 | 10.5   | 2.6        | 81     | 10      |
| ALM126 | 12.5   | 2.6        | 81     | 10      |



## Aluminium Formable 2 in 1

81 Matt Silver

91 Bright Silver



| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| NFA125 | 3 x 10/12  | 2.6        | 81,91  | 20      |

## Aluminium Tile-In Bullnose

81 Matt Silver

91 Bright Silver



| Code   | D (mm) | Length (m) | Finish | Box Qty |
|--------|--------|------------|--------|---------|
| NAT105 | 10     | 2.6        | 81,91  | 20      |
| NAT125 | 12     | 2.6        | 81,91  | 20      |

## Light Traffic Aluminium Stair Grip + PVC Top and End Caps

16 Black

35 Dark Grey



| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| NIB106 | 30 x 10    | 2.6        | 16,35  | 10      |
| NIB126 | 30 x 12    | 2.6        | 16,35  | 10      |

### End Caps

| Code   | Description                | Finish | Pack Qty |
|--------|----------------------------|--------|----------|
| NUC102 | Pair of universal end caps | 16,35  | 2        |

# Stair Nosing

## Aluminium Tile-In with Carbide Insert



| Code   | D (mm) | Length (m) | Finish | Box Qty |
|--------|--------|------------|--------|---------|
| NLC106 | 10     | 2.6        | 81     | 10      |
| NLC126 | 12.5   | 2.6        | 81     | 10      |

## Stainless Steel Tile-In Nosing



| Code   | D (mm) | Length (m) | Finish | Box Qty |
|--------|--------|------------|--------|---------|
| NSS106 | 10     | 2.5        | 84     | 10      |
| NSS126 | 12     | 2.5        | 84     | 10      |

## Aluminium Tile-In Step Edge



| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| NLT108 | 19 x 10    | 2.8        | 81     | 10      |



# Flexibles

F  
Flexibles



A selection of quality flexible P.V.C. extrusions designed to provide a clean, neat solution for junctions where the floor meets the wall. Solutions are available to suit most applications in terms of safety, performance and aesthetics.

Genesis P.V.C. profiles are lead-free and REACH compliant.

## P.V.C. Flexible Sit On Skirting




| Code    | H x D (mm) | Length (m) | Finish | Box Qty |
|---------|------------|------------|--------|---------|
| KSO75   | 75 x 17    | 2          | 16     | 40      |
| KSO100  | 100 x 20   | 2          | 16,43  | 30      |
| KSO1015 | 100 x 20   | 15 (coil)  | 16,43  | 1       |
| KSO150  | 150 x 20   | 2          | 16,43  | 20      |

## P.V.C. Flexible Set In Skirting



| Code   | H x D (mm) | Length (m) | Finish   | Box Qty |
|--------|------------|------------|----------|---------|
| KSI100 | 100 x 50   | 2          | 16,43,46 | 20      |

## P.V.C. Flexible Sit On Skirting



| Code  | W x D (mm) | Length (m) | Finish | Box Qty |
|-------|------------|------------|--------|---------|
| KCOV2 | 20 x 20    | 2          | 16     | 30      |
| KCOV3 | 32 x 32    | 2          | 16     | 30      |
| KCOV1 | 38 x 38    | 2          | 16     | 30      |

## P.V.C. Dim Strip

16 Black



RDIM20




RDIM45



RDIM25



RDIM60



| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| RDIM20 | 26 x 2     | 15         | 16     | 10      |
| RDIM25 | 26 x 2.5   | 15         | 16     | 10      |
| RDIM45 | 36 x 4.5   | 2          | 16     | 40      |
| RDIM60 | 40 x 6     | 2          | 16     | 20      |

## P.V.C. Capping Strip


01 White



16 Black



43 Dolphin Grey



| Code   | W x D (mm) | Length (m) | Finish   | Box Qty |
|--------|------------|------------|----------|---------|
| KCS01  | 40 x 2     | 2          | 01,16,43 | 40      |
| KCS012 | 40 x 2     | 20         | 01,16    | 3       |

## P.V.C. Edge Cap Strip



01 White



16 Black



43 Dolphin Grey



| Code   | W x D (mm) | Length (m) | Finish   | Box Qty |
|--------|------------|------------|----------|---------|
| KCS02  | 39.5 x 1.5 | 2          | 01,16    | 40      |
| KCS022 | 39.5 x 1.5 | 20         | 01,16,43 | 3       |

# Access

Here you will find a great range of Entrance Matting and Anti Slip Tactiles.

Our entrance mats give you the ability to turn any doorway into a warm and welcoming entrance way whilst minimising the level of dirt entering the building. A clever 3-zonal system can remove 90% of dirt within the first 4.5 - 5 metres of entering a building.

We are proud to bring to market our range of Anti Slip Tactiles. We have a solution to any slippery problem a customer may have. Our RezTred or Bumpeeze range are perfect for stair nosings, kitchens, platforms, edges, basically anywhere you can think of and can be used internally and externally.



## RezTred™ NEW

Genesis are proud to introduce our anti-slip services to the corporate and retail world. Our patented anti-slip resin finishes can be applied into virtually any surface including natural stones, terrazzo, ceramics, porcelains, glazed tiles, metal treads, wood and glass. Our inserts provide a reliable, long lasting, slip-resistant, Equality Act 2010 compliant profile and are suitable for heavy foot traffic. All products can be retro fitted as well as factory installed.

### Below kits include:

Tube of Resin  
1.2m Stencils\*  
Applicator Squeegee  
Applicator Gun

\*Number of stencils dependant on kit purchased  
(NRES252 x 8, NRES103 x 12, NRES25D x 21)



01 White



16 Black



47 Yellow



| Code            | Description                          | Finish   | Box Qty |
|-----------------|--------------------------------------|----------|---------|
| NRES252         | Anti Slip Tread Kit - 2 x 25mm Strip | 01,16,47 | 1       |
| NRES103         | Anti Slip Tread Kit - 3 x 10mm Strip | 01,16,47 | 1       |
| NRES25D         | Anti Slip Tread Kit - 25mm Disc      | 01,16,47 | 1       |
| NRES            | Tube of Resin                        | 01,16,47 | 1       |
| NRES252 - STEN  | 25mm Strip Stencil - 1.2m            |          | 1       |
| NRES103 - STEN  | 10mm Strip Stencil - 1.2m            |          | 1       |
| NRES25D - STEN  | 25mm Disc Stencil - 1.2m             |          | 1       |
| NRES - GUN      | Applicator Gun                       |          | 1       |
| NRES - SQUEEGEE | Applicator Squeegee                  |          | 1       |
| NRES - CLEAN    | Cleaner                              |          | 1       |
| NRES - NOZZ     | Replacement Nozzle                   |          | 1       |
| NRES - GLOVE    | Gloves                               |          | 1       |



## Case Study

The Shaare Sedek Synagogue in Manchester requested a safer solution to make their stair edges slip resistant as they were currently using caution tape.

Our RezTred Anti Slip Tread Kit provided the perfect solution and we were able to install it the same day so that it was ready for use by the 6pm service.

We are not limited to straight lines, think outside the box and we can create almost any design you require - company logos etc.





# Bump<sup>eez</sup>

## Fluted Metal Tactiles

The traditional 9mm Ø Shank Method or 3M adhered versions offer an incredibly versatile system that can provide an instant DDA and Equality Act 2010 compliant tactile surface to any platform edge, stairway or ramp due to their unique installation methods.

Fully approved by London Underground for use in under-ground and over-ground stations. They are also approved under the Section 12, LU 1-085 Fire Safety standard. They are endorsed and used by Network Rail and fully compliant with BS 8300: 2009 and amendment A1: 2010

Stainless Steel Grade 316 as standard, other grades available in request.

### Nylon



Crosshatch

Anti-Slip

Circle

### Stainless Steel



Crosshatch

Anti-Slip

Circle

### **NEW** Polystud




## Tactiles



### Self Adhesive



### Shanked



## Stainless Steel Shanked

| Code    | Ø (mm) | Description                        | Finish   | Box Qty |
|---------|--------|------------------------------------|----------|---------|
| FTSSD25 | 25     | Stainless Steel Anti-Slip Tactile  | 01,16,47 | 20      |
| FTSCD25 | 25     | Stainless Steel Circle Tactile     | 84       | 20      |
| FTCHD25 | 25     | Stainless Steel Crosshatch Tactile | 84       | 20      |

## Stainless Steel Self Adhesive

| Code    | Ø (mm) | Description                        | Finish   | Box Qty |
|---------|--------|------------------------------------|----------|---------|
| FTSAS25 | 25     | Stainless Steel Anti-Slip Tactile  | 01,16,47 | 20      |
| FTSSA25 | 25     | Stainless Steel Circle Tactile     | 84       | 20      |
| FTSCA25 | 25     | Stainless Steel Crosshatch Tactile | 84       | 20      |

## Nylon Shanked

| Code    | Ø (mm) | Description              | Finish   | Box Qty |
|---------|--------|--------------------------|----------|---------|
| FTNYD25 | 25     | Nylon Anti-slip Tactile  | 01,16,47 | 20      |
| FTNCD25 | 25     | Nylon Circle Tactile     | 16       | 20      |
| FTNHD25 | 25     | Nylon Crosshatch Tactile | 16       | 20      |

## Nylon Self Adhesive

| Code    | Ø (mm) | Description              | Finish   | Box Qty |
|---------|--------|--------------------------|----------|---------|
| FTNAS25 | 25     | Nylon Anti-slip Tactile  | 01,16,47 | 20      |
| FTNYA25 | 25     | Nylon Circle Tactile     | 16       | 20      |
| FTNCA25 | 25     | Nylon Crosshatch Tactile | 16       | 20      |

## Stainless Steel Corduroy Tactile Trim

| Code    | W x L (mm) | Description                             | Finish   | Box Qty |
|---------|------------|-----------------------------------------|----------|---------|
| FTCD280 | 25 x 280   | Stainless Steel Anti-Slip Shanked       | 01,16,47 | 20      |
| FTCA280 | 25 x 280   | Stainless Steel Anti-Slip Self Adhesive | 01,16,47 | 20      |


## Anti-Slip Discs

| Code   | Ø (mm) | Description            | Finish   | Box Qty |
|--------|--------|------------------------|----------|---------|
| FASD25 | 25     | Coarse Anti-Slip discs | 01,16,47 | 250     |
| FASD35 | 35     | Coarse Anti-Slip discs | 01,16,47 | 250     |

## Polystud Anti Slip Tactile NEW

| Code    | Ø (mm) | Description   | Finish   | Box Qty |
|---------|--------|---------------|----------|---------|
| FTPSD25 | 25     | Shanked       | 01,16,47 | 20      |
| FTPSA25 | 25     | Self Adhesive | 01,16,47 | 20      |

## Infill



## Channel



Shanked

Self Adhesive









Entrance Matting for commercial use can be separated into 3 simple zones

- Zone 1** – Outside for primary coarse dirt retention
- Zone 2** – Outside and Inside to clean and absorb residual moisture and dirt
- Zone 3** - Inside to absorb moisture and dry, these mats are washable




90% of dirt is removed within the first 4.5 - 5 metres when using all 3 zones

|                            | Zone 1                                                                                                   | Zone 2                                                                                                                           | Zone 3                                                                                                         |
|----------------------------|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| Light Traffic<br>500/day   | <br>Brush              | <br>Loop pile or Bfl's 1 tufted brush inserts  | <br>Eco Clean                |
| Medium Traffic<br>2000/day | <br>Romat Rubber      | <br>Loop pile or Bfl's 1 tufted brush inserts | <br>Roclean / Roclean Logo |
| Heavy Traffic<br>>2000/day | <br>Reversible Rubber | <br>Buffed rubber insert                      | <br>Roclean / Roclean Logo |

Romat Fluted Rubber



Aluminium sections linked by semi-rigid P.V.C. to deaden traffic noise and allow rolling up of the mat. Designed for internal and external use with heavy foot traffic.



| Code   | Height (mm) | Finish | Box Qty        |
|--------|-------------|--------|----------------|
| EM8950 | 12          | 16     | m <sup>2</sup> |
| EM8951 | 17          | 16     | m <sup>2</sup> |
| EM8952 | 22          | 16     | m <sup>2</sup> |

Rubber Grating



| Code   | Height (mm) | Finish | Size       |
|--------|-------------|--------|------------|
| R8760* | 12.5        | 16     | 1.5 x 1m   |
| R8752  | 12          | 16     | 1.5 x 0.9m |

\*Art 8761 connector available

Romat Fluted Rubber



Aluminium sections containing rubber inserts linked with galvanised steel cables and secured with plated fixings. Designed for internal or external surfaces with heavy foot traffic.



| Code  | Height (mm) | Finish | Size           |
|-------|-------------|--------|----------------|
| R8030 | 18          | 16     | m <sup>2</sup> |
| R8031 | 12          | 16     | m <sup>2</sup> |

## Romat Entrance Matting - Loop Pile and Polyamid

Anthracite




Grey



Red



Natural



| Code   | Height (mm) | Finish     | Box Qty        |
|--------|-------------|------------|----------------|
| EM8900 | 12          | Anthracite | m <sup>2</sup> |
| EM8901 | 12          | Grey       | m <sup>2</sup> |
| EM8902 | 12          | Natural    | m <sup>2</sup> |
| EM8903 | 12          | Red        | m <sup>2</sup> |
| EM8910 | 17          | Anthracite | m <sup>2</sup> |
| EM8911 | 17          | Grey       | m <sup>2</sup> |
| EM8912 | 17          | Natural    | m <sup>2</sup> |
| EM8913 | 17          | Red        | m <sup>2</sup> |
| EM8920 | 22          | Anthracite | m <sup>2</sup> |
| EM8921 | 22          | Grey       | m <sup>2</sup> |
| EM8922 | 22          | Natural    | m <sup>2</sup> |
| EM8923 | 22          | Red        | m <sup>2</sup> |

## Reversible Superior insert

Black



Grey



Reversible inserts are fitted between mill profiles and assembled with galvanised steel rods.



| Code  | Height (mm) | Finish | Size           |
|-------|-------------|--------|----------------|
| R8000 | 18          | Grey   | m <sup>2</sup> |
| R8016 | 18          | Black  | m <sup>2</sup> |
| R8002 | 12          | Grey   | m <sup>2</sup> |
| R8003 | 12          | Black  | m <sup>2</sup> |

Roclean Logo

- Tufted Textile
- 100% Rubber Sole
- Antistatic
- High UV Resistance
- Machine Washable



| Code  | Height (mm) | Finish   | Size        |
|-------|-------------|----------|-------------|
| R8821 | 8.5         | to order | 85 x 150cm  |
| R8822 | 8.5         | to order | 115 x 180cm |

Roclean

Dark Brown



Steel Grey




Nitrile rubber sole and edge.  
Polyamide fibres



| Code  | Height (mm) | Finish     | Size        |
|-------|-------------|------------|-------------|
| R8840 | 10          | Steel Grey | 85 x 150cm  |
| R8841 | 10          | Dark Brown | 85 x 150cm  |
| R8845 | 10          | Steel Grey | 115 x 180cm |
| R8846 | 10          | Dark Brown | 115 x 180cm |



All the Romat entrance mats are produced according to specifications and made to measure. Ask for the Genesis entrance mat order form.

## Bevelled Access Profile Aluminium



| Code   | Height (mm) | Length (m) | Finish | Box Qty |
|--------|-------------|------------|--------|---------|
| RAA154 | 15          | 2.5        | Silver | 5       |
| R6115  | 20          | 3          | Silver | 1       |




## Accessories



| Code   | Length (m) | Description                                             | Box Qty |
|--------|------------|---------------------------------------------------------|---------|
| R6100  | 4          | Matwell Frame 17-23mm for mats 17 or 23mm deep - Silver | 1       |
| R6101  | 4          | Matwell Frame 17-23mm for mats 17 or 23mm deep - Brass  | 1       |
| R6113  | 4          | Matwell Frame 13mm for mats up to 13mm deep - Silver    | 1       |
| R16104 |            | Pack of 4 corner angles for frame -Silver               | 1       |

## Did you know?...

...These profiles can also be used as a Matwell Frame!





# Transitions



Our range of transition profiles provides an extensive portfolio of both commercial and DIY products – all giving you performance, function and aesthetics. With different colours, designs and materials, our range will complement most floor coverings.



## Self Adhesive


40 Oak




81 Matt Silver




83 Matt Brass




CAS407



CAS255




NAS



TAS




TAV




| Code   | W x D (mm) | Length (m) | Finish   | Box Qty |
|--------|------------|------------|----------|---------|
| TAS157 | 50 x 15    | 2.7        | 40,81,83 | 10      |
| TAS159 | 50 x 15    | 0.9        | 40,81,83 | 10      |
| TAS107 | 43 x 10    | 2.7        | 40,81,83 | 10      |
| TAS109 | 43 x 10    | 0.9        | 40,81,83 | 10      |
| CAS407 | 40 x 3     | 2.7        | 40,81,83 | 10      |
| CAS409 | 40 x 3     | 0.9        | 40,81,83 | 10      |
| CAS257 | 25 x 3     | 2.7        | 81,83    | 10      |
| CAS259 | 25 x 3     | 0.9        | 81,83    | 10      |
| NAS207 | 30 x 20    | 2.7        | 40,81,83 | 10      |
| NAS209 | 30 x 20    | 0.9        | 40,81,83 | 10      |
| NAS107 | 25 x 10    | 2.7        | 40,81,83 | 10      |
| NAS109 | 25 x 10    | 0.9        | 40,81,83 | 10      |
| TAV257 | 30 x 2.5   | 2.7        | 81,83    | 10      |
| TAV259 | 30 x 2.5   | 0.9        | 81,83    | 10      |

## Aluminium Tile to Carpet Top



| Code   | W x D (mm) | Length (m) | Finish      | Box Qty |
|--------|------------|------------|-------------|---------|
| TCA158 | 40 x 3     | 2.8        | 81          | 20      |
| TCA159 | 40 x 3     | 0.92       | 81,83,87,91 | 20      |

## Aluminium Tile to Carpet Top & Base Sets



| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| TTB159 | 40 x 10    | 0.92       | 81,83  | 10      |
| TTB159 | 40 x 10    | 0.92       | 87,91  | 10      |
| TBA109 | 25 x 10    | 0.92       | 80     | 20      |
| TBA108 | 25 x 10    | 2.8        | 80     | 20      |





## Fast Fit Ramp System







Unique Clip System. Allows use with different floor covering material depths. Accommodates height variation up to 20mm.

- TCR for drill fitting option
- TCG Multiflex base for Carpet installation
- TCC Multiflex base for all other floor coverings
- TTG Multiflex set with gripper base
- TTC Multiflex set with universal base
- All Bases include 5 + 5 clips.



| Code   | W (mm) | Length (m) | Finish          | Box Qty |
|--------|--------|------------|-----------------|---------|
| TCR409 | 40     | 0.92       | 39,40,87,91,132 | 20      |
| TCR409 | 40     | 0.92       | 81,83,85        | 20      |
| TCR405 | 40     | 1.85       | 39,40,93,132    | 20      |
| TCR405 | 40     | 1.85       | 81,83,85        | 20      |
| TCG109 | 25     | 0.92       | 80              | 20      |
| TCC109 | 25     | 0.92       | 80              | 20      |
| TTG409 | 40     | 0.92       | 87,91           | 20      |
| TTC409 | 40     | 0.92       | 81,91           | 20      |







## Fast Fit Slimline

Perfect finishing for junctions of different floor coverings of same height.


- Covers a gap up to 30mm
- TCS for drill fitting option
- TCG Multiflex for Carpet installation
- TCC Multiflex for all other floor coverings



| Code   | W (mm) | Length (m) | Finish   | Box Qty |
|--------|--------|------------|----------|---------|
| TCS409 | 40     | 0.92       | 40,132   | 20      |
| TCS409 | 40     | 0.92       | 81,83,85 | 20      |
| TCS405 | 40     | 1.85       | 40,132   | 20      |
| TCS405 | 40     | 1.85       | 81,83,85 | 20      |
| TCG109 | 25     | 0.92       | 80       | 20      |
| TCC109 | 25     | 0.92       | 80       | 20      |




## Brushed Stainless Cover




| Code  | W (mm) | Length (m) | Description   | Box Qty |
|-------|--------|------------|---------------|---------|
| R1060 | 30     | 2.7        | Pre-drilled   | 40      |
| R1063 | 40     | 2.7        | Pre-drilled   | 40      |
| R1064 | 50     | 2.7        | Pre-drilled   | 40      |
| R2060 | 30     | 2.7        | Self Adhesive | 20      |

## Aluminium Z-Bar Carpet Lock





| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| TGA909 | 30 x 9     | 0.9        | 81,83  | 45      |
| TGA909 | 30 x 9     | 0.9        | 87,91  | 45      |
| TGA907 | 30 x 9     | 2.7        | 81     | 15      |
| TGA907 | 30 x 9     | 2.7        | 91     | 15      |
| TGA149 | 30 x 14    | 0.9        | 81,83  | 45      |

## Aluminium Transition




| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| TAG106 | 17 x 10    | 2.5        | 81,91  | 20      |

## Clip Tops




| Code  | W x D (mm) | Length (m) | Finish | Box Qty |
|-------|------------|------------|--------|---------|
| TTOP1 | 53 x 6.25  | 2.5        | 16,43  | 10      |
| TBAS1 | 34 x 6.25  | 2.5        | 80     | 10      |
| TTOP3 | 37 x 8-10  | 2.5        | 16,43  | 10      |
| TBAS3 | 17 x 8.55  | 2.5        | 80     | 10      |

## **NEW** Adjustable Ramp




| Code   | D (mm) | Length (m) | Finish | Box Qty |
|--------|--------|------------|--------|---------|
| RAD100 | 10     | 2.5        | 81     | 10      |
| RAD120 | 12     | 2.5        | 81     | 10      |

## Tile Aluminium Ramp




| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| RSA104 | 20 x 10    | 2.5        | 80,81  | 20      |
| RSA124 | 23 x 12    | 2.5        | 80,81  | 20      |
| RUA104 | 16 x 10    | 2.5        | 81     | 20      |
| RUA124 | 19 x 12    | 2.5        | 81     | 20      |

## Aluminium Access Ramp



| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| RAA104 | 65 x 10    | 2.5        | 81     | 5       |
| RAA124 | 65 x 12.5  | 2.5        | 81     | 5       |
| RAA154 | 90 x 15    | 2.5        | 81     | 5       |


## Stainless Steel Tile-in Ramp



| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| RSS104 | 20 x 10    | 2.5        | 84     | 10      |
| RSS124 | 25 x 12.5  | 2.5        | 84     | 10      |




## Aluminium Retro-Fit Vinyl Reducer



| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| TVA259 | 40 x 2.5   | 0.92       | 81     | 20      |
| TVA258 | 40 x 2.5   | 2.8        | 81     | 20      |


## Aluminium Reducer



Perfect for edging PVC or linoleum floors.  
Pre-drilled.

| Code  | H (mm) | Length (m) | Finish | Box Qty |
|-------|--------|------------|--------|---------|
| R1931 | 3      | 2.7        | 81     | 10      |

## Aluminium Reducer



Ideal for areas with vinyl flooring or tiles.  
Pre-drilled.

| Code  | H (mm) | Length (m) | Finish | Box Qty |
|-------|--------|------------|--------|---------|
| R2695 | 2.8    | 2.7        | 81     | 10      |


## Aluminium Reducer



RAR077 - for carpet tiles, loose lay PVC tiles etc.

RAR157 - for easy access with pallet trucks, trolleys and wheelchairs.

Pre-drilled.




| Code   | H (mm)    | Length (m) | Finish | Box Qty |
|--------|-----------|------------|--------|---------|
| RAR077 | 5 - 7     | 2.7        | 81     | 10      |
| RAR157 | 10.5 - 15 | 2.7        | 81     | 20      |

## Aluminium Reducer



Heavy Duty for commercial applications

Pre-drilled.




| Code  | H (mm) | Length (m) | Finish | Box Qty |
|-------|--------|------------|--------|---------|
| R2650 | 8      | 3          | 81     | 5       |

# Movement Joints



The selection of the correct Expansion Joint is determined by; area, traffic and the floor covering. Performance and function are paramount when making your selection and our range meets both those requirements. You'll find light, medium and heavy duty expansion joints in this section, classed according to the degree of protection the profile offers the floor covering, the anticipated traffic crossing the floor, and any point loading.

## **NEW** Compression Joint with barbs and anchors



| Code   | W x D (mm) | T (mm) | Length (m) | Finish | Material        | Box Qty |
|--------|------------|--------|------------|--------|-----------------|---------|
| MCA300 | 12 x 30    | 1.5    | 2.5m       | 16,35  | Aluminium       | 10      |
| MCB300 | 12 x 30    | 1.5    | 2.5m       | 16,35  | Brass           | 10      |
| MCS300 | 11 x 30    | 1      | 2.5m       | 16,35  | Stainless Steel | 10      |
| MCA500 | 12 x 50    | 1.5    | 2.5m       | 16,35  | Aluminium       | 10      |
| MCB500 | 12 x 50    | 1.5    | 2.5m       | 16,35  | Brass           | 10      |
| MCS500 | 11 x 50    | 1      | 2.5m       | 16,35  | Stainless Steel | 10      |

## P.V.C. Screed Joint



| Code   | D (mm) | Length (m) | Finish   | Box Qty |
|--------|--------|------------|----------|---------|
| MSR300 | 30     | 2.5        | 11,16,25 | 25      |
| MSR500 | 50     | 2.5        | 11,16,25 | 25      |

## P.V.C. Movement & Perimeter Joint


16 Black



25 Beige



35 Dark Grey



| Code   | D (mm) | Length (m) | Infill Finish | Box Qty |
|--------|--------|------------|---------------|---------|
| MLB100 | 10     | 2.5        | 16,25,35      | 25      |
| MLB125 | 12.5   | 2.5        | 16,25,35      | 25      |

## **NEW** P.V.C. Movement & Perimeter Joint - Thin


16 Black



25 Beige




35 Dark Grey




| Code   | D (mm) | Length (m) | Infill Finish | Box Qty |
|--------|--------|------------|---------------|---------|
| MLT100 | 10     | 2.5        | 16,25,35      | 25      |
| MLT125 | 12.5   | 2.5        | 16,25,35      | 25      |

## Aluminium Intermediate Joint




| Code   | D (mm) | Length (m) | Infill Finish | Box Qty |
|--------|--------|------------|---------------|---------|
| MMA100 | 10     | 2.5        | 16,35         | 10      |
| MMA120 | 12     | 2.5        | 16,35         | 10      |

## Stainless Steel Heavy Duty




| Code   | D (mm) | Length (m) | Infill Finish | Box Qty |
|--------|--------|------------|---------------|---------|
| MHS080 | 8      | 2.5        | 16,35         | 10      |
| MHS100 | 10     | 2.5        | 16,35         | 10      |
| MHS120 | 12     | 2.5        | 16,35         | 10      |
| MHS150 | 15     | 2.5        | 16,35         | 10      |
| MHS225 | 22.5   | 2.5        | 16,35         | 10      |

## Optimax Stainless Steel Heavy Duty



| Code   | D (mm) | Length (m) | Infill Finish | Box Qty |
|--------|--------|------------|---------------|---------|
| MSS100 | 10     | 2.5        | 16,35         | 10      |
| MSS120 | 12.5   | 2.5        | 16,35         | 10      |

## Optimax Aluminium Heavy Duty





| Code   | D (mm) | Length (m) | Infill Finish | Box Qty |
|--------|--------|------------|---------------|---------|
| MSA100 | 10     | 2.5        | 16,25,35      | 10      |
| MSA125 | 12     | 2.5        | 16,25,35      | 10      |
| MSA150 | 15     | 2.5        | 16,25,35      | 10      |
| MSA180 | 18     | 2.5        | 16,25,35      | 10      |
| MSA225 | 22.5   | 2.5        | 16,25,35      | 10      |

### Optimax Aluminium Heavy Duty Replaceable Infill



| Code   | D (mm) | Length (m) | Finish   | Box Qty |
|--------|--------|------------|----------|---------|
| MSI100 | 9.8    | 2.5        | 16,25,35 | 20      |

## Structural Joint Cover, Stainless Steel. Self Adhesive





| Code   | Width (mm) | Depth (mm) | Length (m) | Finish | Box Qty | Side Drill |
|--------|------------|------------|------------|--------|---------|------------|
| GC2796 | 60         | 5          | 2.5        | 102    | 10      | On request |
| GC2797 | 80         | 5          | 2.5        | 102    | 10      | On request |
| GC2798 | 100        | 5          | 2.5        | 102    | 10      | On request |

## Aluminium Covers, Self Adhesive




| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| GC2806 | 60 x 4     | 3.4        | 81     | 10      |
| GC2820 | 80 x 4     | 3          | 81     | 10      |
| GC2814 | 100 x 3    | 3          | 81     | 5       |
| GC2822 | 120 x 4    | 3          | 81     | 10      |
| GC2819 | 150 x 5    | 3          | 81     | 1       |
| GC2841 | 180 x 5    | 3          | 81     | 5       |

## Aluminium Covers, Screw Fixing & Self Adhesive on other side



| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| GC2801 | 60 x 4     | 3.4        | 81     | 10      |
| GC2811 | 80 x 4     | 3.4        | 81     | 10      |
| GC2815 | 100 x 3    | 3.0        | 81     | 5       |

## Aluminium Covers, Plug Fixing (included)



| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| GC2846 | 80 x 5     | 3.4        | 81     | 10      |
| GC2848 | 100 x 5    | 3.4        | 81     | 10      |



## Surface Mounted (wide raised vinyl insert)

16 Black




35 Dark Grey



80 Mill Alu



6767/8



### Channel

| Code  | Length (m) | Finish | Box Qty |
|-------|------------|--------|---------|
| R1851 | 3          | 80     | 10      |

### Insert (to be ordered separately)

| Code  | Depth (mm) | Type   | Insert Finish | Box Qty |
|-------|------------|--------|---------------|---------|
| R6768 | 3          | Smooth | 16            | 10      |
| R6767 | 3          | Smooth | 35            | 10      |

## Heavy Duty Surface Mounted (wide raised vinyl insert)

16 Black




35 Dark Grey



80 Mill Alu



6767/8



### Channel

| Code  | Length (m) | Finish | Box Qty |
|-------|------------|--------|---------|
| R1860 | 3          | 80     | 10      |

### Insert (to be ordered separately)

| Code  | Depth (mm) | Type   | Insert Finish | Box Qty |
|-------|------------|--------|---------------|---------|
| R6768 | 3          | Smooth | 16            | 10      |
| R6767 | 3          | Smooth | 35            | 10      |

## Surface Mounted (raised vinyl insert)

16 Black




35 Dark Grey





80 Mill Alu



6740/2



6741/3



### Channel

| Code  | Length (m) | Finish | Box Qty |
|-------|------------|--------|---------|
| R1851 | 3          | 80     | 10      |

### Insert (to be ordered separately)

| Code  | Depth (mm) | Type    | Insert Finish | Box Qty |
|-------|------------|---------|---------------|---------|
| R6742 | 3          | Smooth  | 16            | 10      |
| R6740 | 3          | Smooth  | 35            | 10      |
| R6743 | 3          | Grooved | 16            | 10      |
| R6741 | 3          | Grooved | 35            | 10      |

## Surface Mounted (bevelled edge)

16 Black



35 Dark Grey




80 Mill Alu



6760



6765




### Channel

| Code  | Length (m) | Finish | Box Qty |
|-------|------------|--------|---------|
| R1850 | 3          | 81     | 10      |

### Insert (to be ordered separately)

| Code  | Depth (mm) | Type    | Insert Finish | Box Qty |
|-------|------------|---------|---------------|---------|
| R6760 | 0          | Smooth  | 16            | 10      |
| R6765 | 0          | Grooved | 16            | 10      |

## Surface Mounted (raised 5mm vinyl insert)




### Channel

| Code  | Length (m) | Finish | Box Qty |
|-------|------------|--------|---------|
| R1851 | 3          | 80     | 10      |

### Insert (to be ordered separately)

| Code  | Depth (mm) | Type    | Insert Finish | Box Qty |
|-------|------------|---------|---------------|---------|
| R6747 | 5          | Smooth  | 16            | 10      |
| R6745 | 5          | Smooth  | 35            | 10      |
| R6748 | 5          | Grooved | 16            | 10      |
| R6746 | 5          | Grooved | 35            | 10      |

## Heavy Duty Surface Mounted (raised vinyl insert)



### Channel

| Code  | Length (m) | Finish | Box Qty |
|-------|------------|--------|---------|
| R1860 | 3          | 80     | 10      |

### Insert (to be ordered separately)

| Code  | Depth (mm) | Type    | Insert Finish | Box Qty |
|-------|------------|---------|---------------|---------|
| R6742 | 3          | Smooth  | 16            | 10      |
| R6740 | 3          | Smooth  | 35            | 10      |
| R6743 | 3          | Grooved | 16            | 10      |
| R6741 | 3          | Grooved | 35            | 10      |



# Edge Protection



EP  
Edge Protection



The failure to provide adequate protection to edges and external corners can be seen everywhere. In both public and private buildings the appearance of the finished surface – and therefore the architect's vision – is so often spoiled at these vulnerable points.

## P.V.C. Retro-Fit Corner Protector





| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| ERP120 | 12 x 12    | 2.5        | 01     | 50      |
| ERP200 | 20 x 20    | 2.5        | 01     | 50      |
| ERP250 | 25 x 25    | 2.5        | 01     | 50      |
| ERP300 | 30 x 30    | 2.5        | 01     | 25      |
| ERP400 | 40 x 40    | 2.5        | 01     | 25      |
| ERP500 | 50 x 50    | 2.5        | 01     | 25      |

## P.V.C. Formable Plaster Protector




| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| EPF250 | 25 x 2     | 2.5        | 111    | 50      |

## Aluminium Retro-Fit Corner Protector



| Code   | W x D (mm) | Length (m) | Self-Adhesive | Finish | Box Qty |
|--------|------------|------------|---------------|--------|---------|
| EAA100 | 10 x 10    | 2.5        | Yes           | 81,91  | 20      |
| EAA250 | 25 x 25    | 2.5        | Yes           | 81     | 20      |
| EAA254 | 25 x 25    | 2.5        | No            | 81     | 20      |

## Stainless Steel Retro-Fit Corner Protector - Self Adhesive



| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| EAS154 | 15 x 15    | 2.5        | 84,102 | 10      |
| EAS304 | 30 x 30    | 2.5        | 84,102 | 10      |
| EAS504 | 50 x 50    | 2.5        | 84,102 | 10      |
| EAS515 | 50 x 50    | 1.5        | 84     | 10      |


# P.V.C. Trim

Genesis P.V.C. Trims are individually designed for a variety of finishing functions, and in various depths and finishes.

They are manufactured to the highest standards from top quality virgin lead free P.V.C.u. and with internal and external corners they are finished professionally, providing a long lasting protective finish to any ceramic installation.



## Trim Regular & Corners



| Code   | D (mm) | Length (m) | Finish                                                        | Box Qty |
|--------|--------|------------|---------------------------------------------------------------|---------|
| ETR608 | 6      | 2.5        | 01,11,16,32,34,111                                            | 100     |
| ETR708 | 7      | 2.5        | 01                                                            | 100     |
| ETR808 | 8      | 2.5        | 01,09,10,11,12,14,16,20,25,26,32,34,62,63,64,70,72,111,116    | 100     |
| ETR108 | 10     | 2.5        | 01,09,10,11,12,14,16,20,25,26,32,34,62,64,70,72,81,91,109,111 | 60      |
| ETR128 | 12     | 2.5        | 01,10,11,14,16,25,32,34,62,64,70,111                          | 60      |

### Corner Pieces

| Code   | D (mm) | Finish                  | Pack Qty       |
|--------|--------|-------------------------|----------------|
| PDM603 | 6      | 01,10,11,14,16,25,32,34 | 100            |
| PDP604 | 6      | 01,34                   | 4 Blister Pack |
| PDL803 | 8      | 01,10,11,14,16,25,32,34 | 100            |
| PDP804 | 8      | 01,34                   | 4 Blister Pack |
| PDX103 | 10     | 01,10,11,14,16,25,32,34 | 100            |
| PDP104 | 10     | 01,34                   | 4 Blister Pack |
| PDX123 | 12     | 01,10,11,14,16,25,32,34 | 100            |
| PDP124 | 12     | 01,34                   | 4 Blister Pack |






## Trim Plus & Corners



01 White




| Code   | D (mm) | Length (m) | Finish | Box Qty |
|--------|--------|------------|--------|---------|
| ETP908 | 9      | 2.5        | 01     | 50      |

### Corner Pieces

| Code   | D (mm) | Type              | Finish | Qty / Pack |
|--------|--------|-------------------|--------|------------|
| PCL235 | 9      | Internal/External | 01     | 2 of each  |


## P.V.C. Internal Trim



| Code   | D (mm) | Length (m) | Finish                   | Box Qty |
|--------|--------|------------|--------------------------|---------|
| ETI090 | 9      | 2.5        | 01,09,10,11,14,25,32,113 | 50      |




## P.V.C. Internal Cove & Corners



| Code                 | D (mm) | Length (m) | Finish | Box Qty  |
|----------------------|--------|------------|--------|----------|
| EKI090               | 9      | 2.5        | 01     | 25       |
| <b>Corner Pieces</b> |        |            |        |          |
| Code                 | D (mm) | Type       | Finish | Qty/Pack |
| PKI912               | 9      | Internal   | 01     | 50       |
| PKE912               | 9      | External   | 01     | 50       |

## P.V.C. Square Trim & Corners




| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| TPP104 | 8 x 10     | 2.5        | 01,32  | 60      |
| TPP124 | 8 x 12     | 2.5        | 01,32  | 60      |


  

| Corner Pieces |                       |        |  | Box Qty |
|---------------|-----------------------|--------|--|---------|
| Code          | Packed                | Finish |  |         |
| PTP104        | 10mm 2 way corner x 4 | 01,32  |  | 50      |
| PTP124        | 12mm 2 way corner x 4 | 01,32  |  | 50      |


## P.V.C. Straight Edge Trim



| Code   | D (mm) | Length (m) | Finish             | Box Qty |
|--------|--------|------------|--------------------|---------|
| ESP060 | 6      | 2.5        | 01,34              | 100     |
| ESP080 | 8      | 2.5        | 01,11,14,16*,32,34 | 100     |
| ESP100 | 10     | 2.5        | 01,11,14,16,32,34  | 100     |
| ESP120 | 12     | 2.5        | 01,11,14,16*,32,34 | 100     |
| ESP150 | 15     | 2.5        | 01                 | 100     |



## P.V.C. Eezi Seal



| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| SOR335 | 15 x 15    | 3.5        | 01     | 48      |

## P.V.C. Beading





| Code   | Fixing         | Length (m) | Finish | Box Qty |
|--------|----------------|------------|--------|---------|
| SRP250 | Over tile only | 2.5        | 01     | 25      |

### Corner Pieces




| Code   | Packed                    | Finish | Box Qty |
|--------|---------------------------|--------|---------|
| SRE100 | 2 way external corner x 5 | 01     | 50      |
| SRI100 | 2 way internal corner x 5 | 01     | 50      |
| SRT100 | 3 way internal corner x 5 | 01     | 50      |

## P.V.C. Seal Under / Over Tile



| Code                 | Fixing                | Length(m) | Finish | Box Qty  |
|----------------------|-----------------------|-----------|--------|----------|
| SBS180               | Under / over tile     | 1.8       | 01     | 25       |
| SPS180               | Under tile only       | 1.8       | 01     | 25       |
| <b>Corner Pieces</b> |                       |           |        |          |
| Code                 | Packed                |           | Finish | Box Qty  |
| SMT100               | 1 corner + 2 end caps |           | 01     | 50 packs |

## P.V.C. Vinyl to Tile




| Code    | W x D (mm)                | Length (m) | Finish | Box Qty |
|---------|---------------------------|------------|--------|---------|
| EVC080  | 15 x 8 (punched flange)   | 2.5        | 01     | 25      |
| EVU080  | 15 x 8 (unpunched flange) | 2.5        | 01     | 25      |
| EVT080  | 15 x 8                    | 2.5        | 01     | 25      |
| EVT120  | 15 x 12                   | 2.5        | 01     | 25      |
| EFTU080 | 15 x 8                    | 2.5        | 01     | 25      |

# Metal Trim



The Genesis range of metal profiles is without doubt one of the most comprehensive available, covering round, straight, square and even triangular profiles that suit most domestic and commercial applications. Formable options are also available in Aluminium and Stainless Steel. Genesis now has over a hundred different metal corner pieces in various sizes and finishes to create the perfect installation.

## Aluminium Straight Edge & Formable Trim



| Code   | D (mm) | Length (m) | Finish                              | Box Qty |
|--------|--------|------------|-------------------------------------|---------|
| ESA030 | 2.25   | 2.5        | 80                                  | 20      |
| ESA040 | 3.25   | 2.5        | 80                                  | 20      |
| ESA050 | 4.25   | 2.5        | 80                                  | 20      |
| ESA060 | 6      | 2.5        | 01,80,81,91                         | 20      |
| ESA080 | 8      | 2.5        | 01,16,80,81,88,91,94                | 20      |
| ESA080 | 8      | 2.5        | 101                                 | 10      |
| ESA100 | 10     | 2.5        | 01,16,80,81,85,86,88,89,90,91,94,97 | 20      |
| ESA100 | 10     | 2.5        | 101                                 | 10      |
| ESA120 | 12     | 2.5        | 01,16,80,81,85,86,88,89,90,91,94,97 | 20      |
| ESA120 | 12     | 2.5        | 101                                 | 20      |
| ESA150 | 15     | 2.5        | 80,81,91,94                         | 20      |
| ESA180 | 18     | 2.5        | 80,81,91                            | 20      |
| ESA225 | 22.5   | 2.5        | 80,91                               | 20      |

### Formable

| Code   | D (mm) | Length (m) | Finish | Box Qty |
|--------|--------|------------|--------|---------|
| EFA060 | 6      | 2.5        | 80     | 20      |
| EFA080 | 8      | 2.5        | 80     | 20      |
| EFA100 | 10     | 2.5        | 80,91  | 20      |
| EFA120 | 12     | 2.5        | 80,91  | 20      |
| EFA150 | 15     | 2.5        | 80     | 20      |
| EFA180 | 18     | 2.5        | 80     | 20      |
| EFA225 | 22.5   | 2.5        | 80     | 20      |

### Corner Pieces

| Code   | D (mm) | Length (m) | Finish   | Pack Qty |
|--------|--------|------------|----------|----------|
| ESC082 | 8      | 2.5        | 81,91,94 | 2        |
| ESC102 | 10     | 2.5        | 81,91,94 | 2        |
| ESC122 | 12     | 2.5        | 81,91,94 | 2        |


**PROTECTIVE FILM**


NOT 80



Solid Brass available upon request - lead times and MOQ's apply.


# Metal Trim Straight

## Aluminium Medium Duty Trim



| Code   | D (mm) | Length (m) | Finish | Box Qty |
|--------|--------|------------|--------|---------|
| EMA080 | 8      | 2.5        | 80     | 20      |
| EMA100 | 10     | 2.5        | 80     | 20      |
| EMA120 | 12     | 2.5        | 80     | 20      |

## Aluminium Contour Trim & Corners





| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| TDG084 | 8 x 8      | 2.5        | 81,91  | 20      |
| TDG104 | 10 x 10    | 2.5        | 81,91  | 20      |
| TDG124 | 12 x 12    | 2.5        | 81,91  | 20      |

### Corner Pieces

| Code   | D (mm) | Finish | Pack Qty |
|--------|--------|--------|----------|
| ECG082 | 8      | 81,91  | 2        |
| ECG102 | 10     | 81,91  | 2        |
| ECG122 | 12     | 81,91  | 2        |



## Aluminium Square Trim & Corners




| Code   | W x D (mm) | Length (m) | Finish                                                         | Box Qty |
|--------|------------|------------|----------------------------------------------------------------|---------|
| TDP060 | 10 x 6     | 2.5        | 91,94                                                          | 20      |
| TDP080 | 10 x 8     | 2.5        | 81,82,91,94,95,96                                              | 20      |
| TDP100 | 10 x 10    | 2.5        | 01,16,25,34,39,40,41,81,82,86,90,91,94,95,96,97<br>401,416,434 | 20      |
| TDP100 | 10 x 10    | 2.5        | 101                                                            | 10      |
| TDP120 | 10 x 12    | 2.5        | 01,16,25,34,39,40,41,81,82,86,90,91,94,95,96,97<br>401,416,434 | 20      |
| TDP120 | 10 x 12    | 2.5        | 101                                                            | 10      |
| TDP150 | 10 x 15    | 2.5        | 81,91,94                                                       | 20      |

### Formable

| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| TDF084 | 10 x 8     | 2.5        | 91     | 20      |
| TDF104 | 10 x 10    | 2.5        | 91     | 20      |
| TDF124 | 10 x 12    | 2.5        | 91     | 20      |

### Corner Pieces



| Code   | D (mm) | Finish                      | Pack Qty |
|--------|--------|-----------------------------|----------|
| EDP082 | 8      | 81,82,91,94,95,96           | 2        |
| EDP102 | 10     | 01,16,81,82,91,94,95,96,101 | 2        |
| EDP122 | 12     | 01,16,81,82,91,94,95,96,101 | 2        |
| EDP152 | 15     | 81,91,94                    | 2        |



Solid Brass available upon request - lead times and MOQ's apply.



# Metal Trim Square

## Aluminium Slim Trim - Square



| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| EAM050 | 6 x 5      | 2.5        | 91     | 20      |
| EAM080 | 9 x 8      | 2.5        | 91     | 20      |
| EAM100 | 11 x 10    | 2.5        | 91     | 20      |

## Aluminium Slim Square Edge Trim & Corners




| Code   | D (mm) | Length (m) | Finish | Box Qty |
|--------|--------|------------|--------|---------|
| TMG050 | 5      | 2.5        | 81,91  | 20      |
| TMG080 | 8      | 2.5        | 81,91  | 20      |
| TMG100 | 10     | 2.5        | 81,91  | 20      |
| TMG120 | 12     | 2.5        | 81,91  | 20      |


### Corner Pieces

| Code   | D (mm) | Type      | Finish | Pack Qty |
|--------|--------|-----------|--------|----------|
| EMG052 | 5      | Int / Ext | 81,91  | 2        |
| EMG082 | 8      | Int / Ext | 81,91  | 2        |
| EMG102 | 10     | Int / Ext | 81,91  | 2        |
| EMG122 | 12     | Int / Ext | 81,91  | 2        |

## **NEW** Aluminium Internal Square & End Caps



**PROTECTIVE FILM**




| Code   | W x D (mm) | Z (mm) | Y (mm) | Length (m) | Finish | Box Qty |
|--------|------------|--------|--------|------------|--------|---------|
| EIK100 | 11 x 10    | 31     | 3      | 2.5        | 91     | 20      |
| EIK120 | 13 x 12    | 33     | 3      | 2.5        | 91     | 20      |


### End Caps

| Code   | D (mm) | Finish | Qty |
|--------|--------|--------|-----|
| ECK102 | 10     | 91     | 2   |
| ECK122 | 12     | 91     | 2   |

## Aluminium Quadrant Trim & Corners



**PROTECTIVE  
FILM**  
NOT 80



| Code   | D (mm) | Length (m) | Finish                           | Box Qty |
|--------|--------|------------|----------------------------------|---------|
| EAQ060 | 6      | 2.5        | 01,81,91                         | 20      |
| EAQ080 | 8      | 2.5        | 01,16,80,81,91,94                | 20      |
| EAQ100 | 10     | 2.5        | 01,16,25,34,80,81,83,85,86,91,94 | 20      |
| EAQ120 | 12     | 2.5        | 01,16,25,34,80,81,83,85,86,91,94 | 20      |
| EAQ150 | 15     | 2.5        | 81,91                            | 20      |

### External Corners

| Code   | D (mm) | Finish               | Pack Qty |
|--------|--------|----------------------|----------|
| EAC062 | 6      | 91                   | 2        |
| EAC082 | 8      | 01,16,80,81,91,94    | 2        |
| EAC102 | 10     | 01,16,80,81,86,91,94 | 4        |
| EAC122 | 12     | 01,16,80,81,86,91,94 | 4        |
| EAC152 | 15     | 81,91                | 4        |


### Internal Corners

| Code   | D (mm) | Finish      | Pack Qty |
|--------|--------|-------------|----------|
| EIQ082 | 8      | 81,91,94    | 2        |
| EIQ102 | 10     | 81,86,91,94 | 2        |
| EIQ122 | 12     | 81,86,91,94 | 2        |



Solid Brass available upon request - lead times and MOQ's apply.

## Aluminium Pro Trim & Corners



| Code   | D (mm) | Length (m) | Finish   | Box Qty |
|--------|--------|------------|----------|---------|
| ETA060 | 6      | 2.5        | 81,91    | 20      |
| ETA080 | 8      | 2.5        | 81,91,94 | 20      |
| ETA100 | 10     | 2.5        | 81,91,94 | 20      |
| ETA120 | 12     | 2.5        | 81,91,94 | 20      |


### External Corners

| Code   | D (mm) | Finish               | Pack Qty |
|--------|--------|----------------------|----------|
| ETC062 | 6      | 81,91                | 2        |
| EAC082 | 8      | 01,16,80,81,91,94    | 2        |
| EAC102 | 10     | 01,16,80,81,86,91,94 | 4        |
| EAC122 | 12     | 01,16,80,81,86,91,94 | 4        |
| EAC152 | 15     | 81,91                | 4        |

### Internal Corners

| Code   | D (mm) | Finish      | Pack Qty |
|--------|--------|-------------|----------|
| EIQ082 | 8      | 81,91,94    | 2        |
| EIQ102 | 10     | 81,86,91,94 | 2        |
| EIQ122 | 12     | 81,86,91,94 | 2        |


## Aluminium Round Edge & Corners



| Code   | D (mm) | Length (m) | Finish   | Box Qty |
|--------|--------|------------|----------|---------|
| ERA080 | 8      | 2.5        | 91       | 20      |
| ERA100 | 10     | 2.5        | 81,86,91 | 20      |
| ERA120 | 12     | 2.5        | 81,86,91 | 20      |

# Metal Trim Triangular

## Aluminium Angle Trim & Corners



**PROTECTIVE FILM**





| Code   | W x D (mm) | Length (m) | Finish   | Box Qty |
|--------|------------|------------|----------|---------|
| EAT080 | 9 x 8      | 2.7        | 81,91,94 | 20      |
| EAT100 | 11 x 10    | 2.7        | 81,91,94 | 20      |
| EAT120 | 13 x 12    | 2.7        | 81,91,94 | 20      |

### Corner Pieces


| Code   | D (mm) | Type     | Finish   | Box Qty |
|--------|--------|----------|----------|---------|
| EET082 | 8      | External | 81,91,94 | 2       |
| EET102 | 10     | External | 81,91,94 | 2       |
| EET122 | 12     | External | 81,91,94 | 2       |
| EIT082 | 8      | Internal | 81,91,94 | 2       |
| EIT102 | 10     | Internal | 81,91,94 | 2       |
| EIT122 | 12     | Internal | 81,91,94 | 2       |

## Aluminium Self Adhesive Internal Trim, Corners & Caps



| Code                                | D (mm) | Length (m)      | Finish | Box Qty  |
|-------------------------------------|--------|-----------------|--------|----------|
| EWA150                              | 15     | 2.5             | 81,91  | 20       |
| <b>Corner Pieces &amp; End Caps</b> |        |                 |        |          |
| Code                                | D (mm) | Type            | Finish | Pack Qty |
| EWI150                              | 15     | Internal Corner | 81,91  | 2        |
| EWE150                              | 15     | External Corner | 81,91  | 2        |
| EWC150                              | 15     | End Caps        | 81,91  | 2        |

## Dividing Strips



| Aluminium Dividing Strip       |            |            |          |         |
|--------------------------------|------------|------------|----------|---------|
| Code                           | W x D (mm) | Length (m) | Finish   | Box Qty |
| EDA510                         | 5 x 10     | 2.5        | 80       | 20      |
| EDA147                         | 14 x 8     | 2.5        | 81       | 20      |
| EDA408                         | 22 x 9     | 2.5        | 80,81,83 | 20      |
| Stainless Steel Dividing Strip |            |            |          |         |
| Code                           | W x D (mm) | Length (m) | Finish   | Box Qty |
| EDS209                         | 20 x 9     | 2.5        | 84       | 10      |



Solid Brass available upon request - lead times and MOQ's apply.



## Stainless Steel Straight Edge Trim (304 & 316) & Formable Trim


84 Stainless Steel



102 Brushed S. Steel



**NEW**



**PROTECTIVE FILM**



### Stainless Steel - Grade 304

| Code   | D (mm) | Length (m) | Finish | Box Qty |
|--------|--------|------------|--------|---------|
| ESS045 | 4.5    | 2.5        | 84     | 10      |
| ESS060 | 6      | 2.5        | 84     | 10      |
| ESS080 | 8      | 2.5        | 84,102 | 10      |
| ESS100 | 10     | 2.5        | 84,102 | 10      |
| ESS120 | 12     | 2.5        | 84,102 | 10      |
| ESS150 | 15     | 2.5        | 84     | 10      |
| ESS180 | 18     | 2.5        | 84     | 10      |
| ESS225 | 22.5   | 2.5        | 84     | 10      |

### Stainless Steel - Grade 316

| Code   | D (mm) | Length (m) | Finish | Box Qty |
|--------|--------|------------|--------|---------|
| ESS310 | 10     | 2.5        | 84     | 10      |
| ESS312 | 12     | 2.5        | 84     | 10      |


### Formable

| Code   | D (mm) | Length (m) | Finish | Box Qty |
|--------|--------|------------|--------|---------|
| ESF100 | 10     | 2.5        | 84     | 10      |
| ESF120 | 12     | 2.5        | 84     | 10      |

## Stainless Steel Quadrant Trim & Corners



**NEW**



**PROTECTIVE FILM**



### Stainless Steel Quadrant Trim - Grade 304

| Code   | D (mm) | Length (m) | Finish | Box Qty |
|--------|--------|------------|--------|---------|
| ESQ060 | 6      | 2.5        | 84     | 10      |
| ESQ080 | 8      | 2.5        | 84,102 | 10      |
| ESQ100 | 10     | 2.5        | 84,102 | 10      |
| ESQ120 | 12     | 2.5        | 84,102 | 10      |

### Stainless Steel Quadrant Trim - Grade 316

| Code   | D (mm) | Length (m) | Finish | Box Qty |
|--------|--------|------------|--------|---------|
| ESQ308 | 8      | 2.5        | 84     | 10      |
| ESQ310 | 10     | 2.5        | 84     | 10      |
| ESQ312 | 12     | 2.5        | 84     | 10      |

### Stainless Steel Quadrant Trim Corners - Grade 304

| Code   | D (mm) | Finish | Pack Qty |
|--------|--------|--------|----------|
| ECQ082 | 8      | 84,102 | 2        |
| ECQ102 | 10     | 84,102 | 2        |
| ECQ122 | 12     | 84,102 | 2        |

## Stainless Steel Square Edge Trim & Corners


84 Stainless Steel



102 Brushed S. Steel



**NEW**



**PROTECTIVE FILM**




| Code   | D (mm) | Length (m) | Finish | Box Qty |
|--------|--------|------------|--------|---------|
| EQS080 | 8      | 2.5        | 84,102 | 10      |
| EQS100 | 10     | 2.5        | 84,102 | 10      |
| EQS120 | 12     | 2.5        | 84,102 | 10      |

### Corner Pieces


| Code   | D (mm) | Finish | Pack Qty |
|--------|--------|--------|----------|
| EQI082 | 8      | 84,102 | 2        |
| EQI102 | 10     | 84,102 | 2        |
| EQI122 | 12     | 84,102 | 2        |

## Stainless Steel Listello




| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| LPS250 | 25 x 8     | 2.5        | 84,102 | 10      |
| LPS400 | 40 x 8     | 2.5        | 84,102 | 10      |



## Flat Line Listello



| Code   | W x D (mm) | Length (m) | Finish          | Box Qty |
|--------|------------|------------|-----------------|---------|
| LFA100 | 10 x 8     | 2.5        | 81,86,91,94,101 | 20      |
| LFA200 | 20 x 8     | 2.5        | 88,89,91,94     | 20      |




## Aluminator™ Listello



| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| ALA100 | 15 x 10    | 2.5        | 81     | 10      |

## Aluminium Listello



**PROTECTIVE FILM**




| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| LPA100 | 10 x 7     | 2.5        | 91,94  | 20      |
| LPA250 | 25 x 7     | 2.5        | 91,94  | 20      |

## Warning!

Sunglasses may be required.



Our mirror finish is available  
in the following profiles...



TDP (Page 77)



LFA (P88)





ESA (Page 75)

| Code   | W x D (mm) | Length (m) | Finish | Box Qty |
|--------|------------|------------|--------|---------|
| TDP100 | 10 x 10    | 2.5        | 101    | 10      |
| TDP120 | 10 x 12    | 2.5        | 101    | 10      |
| EDP102 | 10         |            | 101    | 2/Pack  |
| EDP122 | 12         |            | 101    | 2/Pack  |
| LFA100 | 20 x 8     | 2.5        | 101    | 10      |
| ESA080 | 8          | 2.5        | 101    | 10      |
| ESA100 | 10         | 2.5        | 101    | 10      |
| ESA120 | 12         | 2.5        | 101    | 10      |

**PROTECTIVE  
FILM**







## Aluminium Clip On Skirting, Corners & End Caps



| Code                    | W x D (mm) | Length (m)                 | Finish | Box Qty |
|-------------------------|------------|----------------------------|--------|---------|
| KAC710                  | 10 x 70    | 2.5                        | 81     | 10      |
| <b>External Corners</b> |            |                            |        |         |
| Code                    | W x D (mm) | Description                | Finish | Box Qty |
| KEC710                  | 10 x 70    | Pre-formed external corner | 81     | 1       |
| KIC710                  | 10 x 70    | Pre-formed internal corner | 81     | 1       |
| <b>End Caps</b>         |            |                            |        |         |
| Code                    | W x D (mm) | Description                | Finish | Box Qty |
| KLC710                  | 10 x 70    | Left end cap               | 81     | 1       |
| KRC710                  | 10 x 70    | Right end cap              | 81     | 1       |

## Aluminium Skirting, Corners & End Caps



### Skirting Self Adhesive

| Code   | D (mm) | Length (m) | Finish | Box Qty |
|--------|--------|------------|--------|---------|
| KAS607 | 60     | 2.7        | 81     | 10      |
| KAS807 | 80     | 2.7        | 81     | 10      |
| KAS107 | 100    | 2.7        | 81     | 10      |

### Skirting Standard

| Code   | D (mm) | Length (m) | Finish | Box Qty |
|--------|--------|------------|--------|---------|
| KAA607 | 60     | 2.7        | 81     | 10      |
| KAA807 | 80     | 2.7        | 81     | 10      |
| KAA107 | 100    | 2.7        | 81     | 10      |

### P.V.C. Corners & End Caps

| Code   | Description                           | Finish | Box Qty |
|--------|---------------------------------------|--------|---------|
| KPE600 | External Corner for KAA600/KAS600     | 11     | 20      |
| KPI600 | Internal Corner for KAA600/KAS600     | 11     | 20      |
| KPC600 | Pair End Caps (L/R) for KAA600/KAS600 | 11     | 20      |
| KPE800 | External Corner for KAA800/KAS800     | 11     | 20      |
| KPI800 | Internal Corner for KAA800/KAS800     | 11     | 20      |
| KPC800 | Pair End Caps (L/R) for KAA800/KAS800 | 11     | 20      |
| KPE100 | External Corner for KAA100/KAS100     | 11     | 20      |
| KPI100 | Internal Corner for KAA100/KAS100     | 11     | 20      |
| KPC100 | Pair End Caps (L/R) for KAA100/KAS100 | 11     | 20      |



# Marketing

A close-up photograph of various wooden marketing materials. In the foreground, there are several curved wooden pieces, possibly pens or display stands, arranged diagonally. Some are labeled with text like '132 Dark Beech' and '136 Bordeaux'. In the background, there are wooden strips with the word 'GENESIS' embossed on them. The overall color palette is warm, dominated by the natural tones of the wood.

A vast range of eye-catching Marketing materials are available to help promote your Genesis products, from robust display stands that offer an excellent way of displaying full length trims to smaller point of sale displays. Promotional items that help to represent the Genesis brand by combining functionality with advertising with such items as mugs, pens, calendars, note pads etc.

Bespoke marketing materials are available on request.

# Display Stands


## Z103 1m Maxi Stand



- 24 Hooks (Clips onto top of stand 2 x 12) Suspends profiles.
- 10 Euro Hooks (For Tools or Corner Pcs )
- Divider Bar clips onto back to divide profiles
- Each hook hold 10 profiles (Average)
- 50/50 Split 120 profiles and Tools
- 240 Profiles

| Code | Description               | Qty |
|------|---------------------------|-----|
| Z103 | 1m Genesis Display        | 1   |
| Z112 | Euro Hooks (double prong) | 10  |

## Z100 Mini Stand



2m high x 0.75m wide x 0.5m deep. A bespoke unit to display the Genesis range of tools.

A simple grid system display the unit is supplied with a display tray and 20 euro hooks for hanging the tools, and 15 profile location points

| Code | Description               | Qty |
|------|---------------------------|-----|
| Z100 | Tool Stand                | 1   |
| Z112 | Euro Hooks (double prong) | 10  |

# Display Stands

## Z110 1m Deluxe Stand



Stock is leaned rather than hung on this display.  
1m wide x 0.75m deep and 2,5m high. Grid unit with squares for Euro hooks, complete with 12 Euro hooks, 4 dividers and integral price tags.

Rubber mat and specially strengthened base ideal for Metal profiles. Works on its own or combined to form a run of displays for larger showrooms.

The dividers create 18 sections on this display each section holds on average 20 profiles depending on the profile shape and size. The profiles are simply leaned against the back of the display and rested on the rubber mat on the base. The display unit can

also be slit 50/50 to display 9 divided sections of profiles and then use the euro hooks to display tools on the other half of the stand. If used this way the stand will hold approximately 180 profiles, if all 24 divider spaces are used approximately 360 profiles can be displayed.

Complete assembly instructions are included with each display stand.

| Code | Description            | Qty |
|------|------------------------|-----|
| Z110 | Lean back Display Unit | 1   |
| Z111 | Single prong hooks     | 10  |
| Z113 | 300mm Extension        | 1   |



## Transition Stand



11 hooks to hold Genesis 0.92m lengths of transition profiles. Complete with header

| Code | Description       | Qty |
|------|-------------------|-----|
| Z015 | Transitions Stand | 1   |

## Portable Display Unit



A simple easy to erect portable lightweight display unit.  
Perfect for accessories.

High Visibility.

Self Service.


Size 1.75m High x 45cm wide x 25 cm deep.

| Code | Description            | Qty |
|------|------------------------|-----|
| Z135 | Portable Display Stand | 1   |

## Display Modules

Individual modules constructed with ceramics specified by you and using prescribed Genesis profiles to create the perfect point of sale display.

These modules have been designed to show a selection of Genesis Profiles and perfectly illustrate the function of the product as well as the aesthetics.



| Code | Description    | Qty |
|------|----------------|-----|
| Z123 | Display Module | 1   |

## Sample Cases



| Code | Description                  | Qty |
|------|------------------------------|-----|
| Z751 | Genesis Flooring Sample Case | 1   |

| Code | Description                                     | Qty |
|------|-------------------------------------------------|-----|
| Z650 | Complete Sample System contains all sample sets | 12  |
| Z851 | P.V.C. White and Marble Sample Box              | 1   |
| Z852 | P.V.C. Solid Colour Sample Box                  | 1   |
| Z853 | Aluminium Finish Sample Box                     | 1   |
| Z854 | Skirting Sample Box                             | 1   |
| Z855 | Mosaic and Listello Sample Box                  | 1   |
| Z856 | Expansion Joints Sample Box                     | 1   |
| Z857 | Ramp Sample Box                                 | 1   |
| Z858 | P.V.C. and Seal Profiles Sample Box             | 1   |
| Z859 | Metal Profiles Sample Box                       | 1   |
| Z860 | Edge Protection Sample Box                      | 1   |
| Z861 | Stair Nosings Sample Box                        | 1   |
| Z862 | Transitions Sample Box                          | 1   |

## Samples Boards



| Code | Description                       |
|------|-----------------------------------|
| Z890 | Metal Trim Samples Board A3 (1)   |
| Z891 | Nosing Samples Board A3           |
| Z892 | Expansion Joints Samples Board A3 |
| Z893 | Ramps Samples Board A3            |
| Z894 | Skirting Samples Board A3         |
| Z895 | PVC Trim Samples Board A3         |
| Z896 | Edge Protection Samples Board A3  |
| Z897 | Metal Trim Samples Board A3 (2)   |
| Z898 | Metal Trim Samples Board A3 (3)   |
| Z899 | Wood Effects Samples Board A3     |



| Code | Description          |
|------|----------------------|
| Z888 | Triangular POS Board |

# Promotional Items

## Catalogue & Price List



| Code | Description                  | Qty |
|------|------------------------------|-----|
| Z313 | Genesis Catalogue            | 50  |
| Z312 | Genesis Price List           | 50  |
| Z405 | Contract Flooring Price List | 50  |

## Wall Chart



| Code | Description     |
|------|-----------------|
| Z324 | Wall Chart (A1) |

## 2017 Desk Calendar



| Code       | Description        |
|------------|--------------------|
| Z-CALENDAR | 2017 Desk Calendar |

## Mugs



| Code | Description          |
|------|----------------------|
| Z802 | Insulated Travel Mug |
| Z803 | Mug                  |

## Note Pads








| Code | Description |
|------|-------------|
| Z602 | A4 Note Pad |
| Z501 | A6 Note Pad |

## Pen









| Code | Description |
|------|-------------|
| Z801 | Pen         |






# Heavy Duty Nosing










# Tile-in Nosing





























































|                       |               |
|-----------------------|---------------|
| <b>Stair Nosings</b>  | <b>2 - 30</b> |
| Technical Information | 3 - 6         |
| Slimline              | 7 - 8         |
| Heavy Duty            | 9 - 10        |
| Aluminator™           | 11 - 12       |
| TredSafe®             | 13 - 20       |
| P.V.C                 | 21            |
| Inserts               | 22            |
| Angles & Accessories  | 23            |
| Template              | 24            |
| Ceramic               | 25 - 30       |

|                  |                |
|------------------|----------------|
| <b>Flexibles</b> | <b>31 - 33</b> |
| Skirting         | 32             |
| Cove Former      | 32             |
| Dim Strip        | 33             |
| Capping Strip    | 33             |

|                  |                |
|------------------|----------------|
| <b>Access</b>    | <b>34 - 43</b> |
| RezTred          | 35 - 36        |
| Bumpeez          | 37 - 38        |
| Entrance Matting | 39 - 42        |
| Accessories      | 43             |

|                                        |                |
|----------------------------------------|----------------|
| <b>Transitions, Covers &amp; Ramps</b> | <b>44 - 54</b> |
| Self Adhesive                          | 45             |
| Carpet to Tile                         | 46             |
| Fast Fit Invisible System              | 47 - 49        |
| Soft Grip Systems                      | 50             |
| Z-Bar                                  | 50             |
| Tile-In & Access Ramps                 | 51 - 52        |
| Reducers                               | 53 - 54        |

|                        |                |
|------------------------|----------------|
| <b>Movement joints</b> | <b>55 - 63</b> |
| Tile & Screed Joints   | 56 - 59        |
| Structural Covers      | 60             |
| Structural Joints      | 61 - 63        |

|                        |                |
|------------------------|----------------|
| <b>Edge Protection</b> | <b>64 - 64</b> |
| P.V.C                  | 65             |
| Aluminium              | 66             |
| Stainless Steel        | 66             |

|                          |                |
|--------------------------|----------------|
| <b>P.V.C Trim</b>        | <b>67 - 73</b> |
| Round Edge Corners       | 68 - 69        |
| Internal Cove            | 69 - 70        |
| Straight and Square      | 71             |
| Bath Seals               | 72 - 73        |
| Cap Tile / Tile to Vinyl | 73             |

|                                  |                |
|----------------------------------|----------------|
| <b>Metal Trim &amp; Listello</b> | <b>74 - 92</b> |
| Aluminium Straight               | 75 - 76        |
| Aluminium Square                 | 76 - 79        |
| Aluminium Round                  | 80 - 81        |
| Aluminium Triangular             | 82             |
| Aluminium Cove                   | 83             |
| Dividing Strips                  | 84             |
| Stainless Straight               | 85             |
| Stainless Round                  | 86             |
| Stainless Square                 | 87             |
| Listello                         | 88 - 89        |
| Aluminium Skirting               | 91 - 92        |

|                   |                  |
|-------------------|------------------|
| <b>Marketing</b>  | <b>145 - 152</b> |
| Display Stands    | 146 - 149        |
| Display / Samples | 150 - 51         |
| Promotional Items | 152              |

|         |       |        |          |        |       |          |       |
|---------|-------|--------|----------|--------|-------|----------|-------|
| AHD     | 12,20 | GC2801 | 60       | NNL    | 10,16 | R6746    | 63    |
| ALA     | 89    | GC2806 | 60       | NRA    | 27    | R6747    | 63    |
| ALM     | 28    | GC2811 | 60       | NRE    | 28    | R6748    | 63    |
| ATC     | 26    | GC2814 | 60       | NRP    | 21    | R6760    | 62    |
| Bumpeez | 38    | GC2815 | 60       | NSA    | 23    | R6765    | 62    |
| CAS     | 45    | GC2819 | 60       | NSB    | 21    | R6767    | 61    |
| EAA     | 66    | GC2820 | 60       | NSL    | 8,22  | R6767    | 61    |
| EAC     | 80,81 | GC2822 | 60       | NSP    | 21    | R6768    | 61    |
| EAM     | 78    | GC2841 | 60       | NSR    | 21    | R6768    | 61    |
| EAQ     | 80    | GC2846 | 60       | NSS    | 30    | R8000    | 41    |
| EAS     | 66    | GC2848 | 60       | NTAB   | 23    | R8002    | 41    |
| EAT     | 82    | KAA    | 92       | NTC    | 26    | R8003    | 41    |
| ECG     | 76    | KAC    | 91       | NTL    | 23    | R8016    | 41    |
| ECK     | 79    | KAS    | 92       | NUC    | 29    | R8030    | 40    |
| ECQ     | 86    | KCOV   | 32       | PCL    | 69    | R8031    | 40    |
| EDA     | 84    | KCS    | 33       | PDL    | 68    | R8752    | 40    |
| EDP     | 77    | KEC    | 91       | PDM    | 68    | R8760    | 40    |
| EDS     | 84    | KIC    | 91       | PDP    | 68    | R8821    | 42    |
| EET     | 82    | KLC    | 91       | PDP    | 68    | R8822    | 42    |
| EFA     | 75    | KPC    | 92       | PDX    | 68    | R8840    | 42    |
| EFU     | 73    | KPE    | 92       | PKE    | 70    | R8845    | 42    |
| EIK     | 79    | KPI    | 92       | PKI    | 70    | R8846    | 42    |
| EIQ     | 80,81 | KRC    | 91       | R1060  | 50    | RAA      | 43,52 |
| EIT     | 82    | KSI    | 32       | R1063  | 50    | RAD      | 51    |
| EKI     | 70    | KSO    | 32       | R1064  | 50    | RAR      | 54    |
| EM89    | 40,41 | LFA    | 88       | R16104 | 43    | RDIM     | 33    |
| EMA     | 76    | LPA    | 89       | R1850  | 62    | RezTred  | 36    |
| EMG     | 78    | LPS    | 88       | R1851  | 61    | RSA      | 52    |
| EPF     | 65    | MCA    | 56       | R1851  | 62    | RSS      | 52    |
| EQI     | 87    | MCB    | 56       | R1851  | 63    | RUA      | 52    |
| EQS     | 87    | MCS    | 56       | R1860  | 61    | SOR      | 72    |
| ERA     | 81    | MHS    | 58       | R1860  | 63    | TAG      | 50    |
| ERP     | 65    | MLB    | 57       | R1931  | 53    | TAS      | 45    |
| ESC     | 75    | MLT    | 57       | R2060  | 50    | TAV      | 45    |
| ESF     | 85    | MMA    | 58       | R2650  | 54    | TBA      | 46    |
| ESP     | 71    | MSA    | 59       | R2695  | 53    | TBAS     | 51    |
| ESQ     | 86    | MSI    | 59       | R3041  | 27    | TCA      | 46    |
| ESS     | 85    | MSR    | 56       | R3043  | 27    | TCC      | 47,49 |
| ETA     | 81    | MSS    | 59       | R3051  | 27    | TCG      | 47,49 |
| ETC     | 81    | NAS    | 27,45    | R3053  | 27    | TCR      | 47    |
| ETI     | 69    | NAT    | 29       | R6100  | 43    | TCS      | 49    |
| ETP     | 69    | NFA    | 29       | R6101  | 43    | TDF      | 77    |
| ETR     | 68    | NFL    | 27       | R6113  | 43    | TDG      | 76    |
| EVC     | 73    | NHB    | 21       | R6115  | 43    | TDP      | 77    |
| EVT     | 73    | NHD    | 10,18,22 | R6740  | 62    | TGA      | 50    |
| EVU     | 73    | NHP    | 21       | R6740  | 63    | TMG      | 78    |
| EWA     | 83    | NIB106 | 29       | R6741  | 62    | TPP      | 71    |
| EWC     | 83    | NIHD   | 22       | R6741  | 63    | Tredsafe | 22    |
| EWE     | 83    | NISL   | 22       | R6742  | 62    | TTB      | 46    |
| EWI     | 83    | NITR   | 22       | R6742  | 63    | TTC      | 47    |
| GC2796  | 60    | NLC    | 30       | R6743  | 62    | TTG      | 47    |
| GC2797  | 60    | NLM    | 28       | R6743  | 63    | TTOP     | 51    |
| GC2798  | 60    | NLT    | 30       | R6745  | 63    | TVA      | 53    |



## Definitions

In these Terms and Conditions the following expressions will have the following meanings unless inconsistent with the context:

|                        |                                                                                                                                                        |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| "Buyer"                | the person(s), firm or company whose order for the Goods is accepted by the Company                                                                    |
| "Company"              | Genesis Global Systems at Stokesley Business Park, Stokesley, North Yorkshire, TS9 5JZ                                                                 |
| "Contract"             | any contract between the Company and the Buyer for the sale and purchase of the Goods or supply of the Services formed in accordance with Condition 2  |
| "Delivery Point"       | the place where delivery of the Goods is agreed to take place                                                                                          |
| "Goods"                | any Goods which the Company supplies to the Buyer (including any of them or any part of them)                                                          |
| "Terms and Conditions" | the standard terms and conditions of sale set out in this document together with any special terms agreed in writing between the Buyer and the Company |

## Formation and Incorporation

The Contract will be upon these Terms and Conditions, to the exclusion of all other terms and conditions and all previous oral or written representations including any terms or conditions which the Buyer purports to apply under any purchase order, confirmation of order or similar document is referred to in the Contract.

Each order or acceptance of a quotation for Goods will be deemed to be an offer by the Buyer and to purchase Goods upon these Terms and Conditions. The Contract is formed when the Buyer receives confirmation that the order is accepted by the Company. No contract will come into existence until such confirmation has been given by the Company.

Quotations are subject to an acceptance period of 45 days from the date of quotation.

The Buyer must ensure that the terms of its order are complete and accurate.

Acceptance of delivery of the Goods will be deemed as conclusive evidence of the Buyer's acceptance of these Terms and Conditions.

The Buyer may not cancel the Contract. The Company may cancel the Contract at any time prior to delivery.

## Price and Payment

The price for the Goods will be the price set out in the Company's published price list current at the date of delivery or as otherwise notified by the Company to the Buyer prior to the Contract being made. Orders are exclusive of any costs of carriage, packing, insurance and VAT unless otherwise agreed by the Company. A separate export price list may apply for Goods supplied for export from the United Kingdom. Where recommended selling prices are listed these should be treated as a guide.

Where an order is received for quantities less than those quoted or where delivery is required in instalments smaller than those specified in the quotation, then prices may be subject to increase.

The Company may invoice the Buyer for the Goods on or at any time after dispatch. Subject to clause 3.3, payment of the price and VAT shall be due within 30 days of the invoice. Time for payment will be of the essence.

The Company may accept payment on a pro-forma basis providing this arrangement is agreed in writing and signed by a director of the Company.

No payment will be deemed to have been received until the Company has received cleared funds.

All payments to be made by the Buyer under the Contract will be made in full without any set-off, restriction or condition and without any deduction for or on account of any counterclaim. No disputes that may arise under the Contract or delays beyond the reasonable control of the Company shall constitute a reason for interference with prompt payment in full by the Buyer.

If any sum payable under the Contract is not paid when due then, without prejudice to the Company's other rights under the Contract, the sum will bear interest from the due date until payment is made in full, both before and after any judgment, at 5 per cent per annum over the Bank of England base rate from time to time and the Company will be entitled to suspend deliveries of the Goods until the outstanding sum has been received.

The Company reserves the right to recoup any sum, resulting from costs incurred legal proceedings to recover the sum payable under the Contract.

Any invoice queries must be communicated to the Company within 10 working days of receipt of the invoice by the Buyer.

## Instalments

The Company may deliver the Goods by separate instalments. Each instalment will be a separate Contract and no cancellation or termination of any one Contract relating to an instalment will entitle the Buyer to repudiate or cancel any other Contract or instalment unless otherwise notified by the Company. Each separate instalment will be invoiced and paid for in accordance with the provisions of the Contract.

## Delivery

The Company will use reasonable endeavours to deliver each of the Buyer's orders for the Goods in accordance with the delivery estimate provided by the Company at the Delivery Point, but the time of delivery will not be of the essence. If, despite those endeavours, the Company is unable for any reason to fulfil any delivery on a specified date, the Company will be deemed not to be in breach of Contract, nor (for the avoidance of doubt) will the Company have any liability to the Buyer for direct, indirect or consequential loss howsoever caused (including as a result of negligence) by any delay or failure in delivery.

Where the Goods are handed to a carrier for carriage to the Buyer or to UK port for export, any such carrier shall be deemed to be an agent of the Company and not the Buyer for the purposes of 43, 44 and 45 of the Sale of Goods Act 1979 (as amended).

No liability will attach to the Company for non-delivery, loss or damage to Goods prior to delivery unless claims to that effect are notified in writing by the Buyer to the Company within four days of delivery and where carriers not of the Company have been used for delivery a copy is delivered to said carrier.

Where delivery is made by a carrier to the Buyer the Buyer is responsible for counting as received, complete or otherwise, the number of outer cartons of Goods documented by the carrier as being delivered. Any shortage should be notified to the Company without delay.

Subject to Condition 5.1, the Company will require the receipt of an order from a Buyer prior to 12.30pm to deliver Goods the following day in the United Kingdom (excluding Northern Ireland).

Minimum order value £175.00 free UK mainland delivery.

## Risk/Title of Goods

Risk of damage to or loss of the Goods will pass to the Buyer in accordance with Condition 5.

Ownership of the Goods will not pass to the Buyer until the Company has received in full all sums due to it in respect of the Goods.



Until ownership of the Goods has passed to the Buyer, the Buyer must:

- hold the Goods on a fiduciary basis on behalf of the Company;
- store the Goods (at no cost to the Company) separately from all other Goods of the Buyer or any 3rd party in such a way they remain readily identifiable;
- not destroy, deface, or obscure any identifying mark or packaging on or relating to the Goods; and
- maintain the Goods in a satisfactory condition insured on the Company's behalf for their full price against all risks to the reasonable satisfaction of the Company, and will whenever requested by the Company produce a copy of the policy of insurance.

If the Buyer sells or disposes of the Goods to a third party before the sum due to the Company is paid in full then any proceeds resulting there from shall belong to the Company to the extent of the sums owing by the Buyer.

Where the Company (or its appointed carrier) delivers the Goods, the risk shall pass to the Buyer upon delivery. In all other cases, the risk shall pass to the Buyer when the Goods leave the Company's premises.

The Buyer's right to possession of the Goods will terminate immediately if any of the circumstances set out in Condition 9 occur.

If payment is overdue in whole or in part the Company may (without prejudice to any of its other rights) recover or resell the Goods or any part thereof and may enter upon the Buyer's premises by its servants or agents for the purpose.

Nothing in this clause shall confer any right upon the Buyer to return the Goods sold hereunder or to refuse or delay payment therefore.

## Liability of Company

The Company shall not be liable for any costs, claims, damages or expenses arising out of any tortious act or omission or breach of contract or statutory duty calculated by reference to profits, income, production accruals, or by reference to accrual of such costs, claims, damages or expenses on a time basis.

The liability of the Company to the Buyer for any loss of whatsoever nature and howsoever caused shall be limited to and shall in no circumstances exceed the price of the Goods

In no circumstances shall the Company be liable for any cost claim damage or expense resulting from any failure to use the Goods other than for the purpose for which they are supplied by the Company or resulting from any failure to follow any instructions issued by the Company in respect of the Goods.

Each of the provisions of these Conditions of Sale (including each provision providing for the limitation or exclusion of liability) shall be deemed to be fully severable so that if any provision is found to be void in law, whether because it is found to be unreasonable or otherwise, the remainder of the provisions shall continue in full force.

## Intellectual property

No right or licence is granted to the Buyer in respect of the Intellectual Property Rights of the Company, except the right to use, or re-sell the Goods in the Buyer's ordinary course of business.

The Buyer will not without the Company's prior consent allow the Company's marks or words applied to the Goods to be obliterated, obscured or omitted nor will he add any additional marks or words.

Unless paid for in full, any display stand provided by the Company shall remain the property of the Company and will be given on loan or hire to the Buyer to enable effective merchandising of the Goods and it is the Buyer's responsibility that only the Goods can be displayed or placed on the display stand in any event.

The Buyer will not, without written consent of the Company, use, give away or loan any photographs or documents of confidential records provided to the Buyer by the Company.

## Insolvency or Default of Buyer

If the Buyer shall make default in, or commit any breach of, the Contract or of any other of his obligation to the Company or if any distress or execution shall be levied upon the Buyer's properly or assets or if the Buyer shall make an offer to make any arrangement for composition with creditors or commit any act of bankruptcy or if any petition or receiving order in bankruptcy shall be presented or made against him or if the Buyer is a Limited Company and any resolution or petition to wind up such company's business (other than for the purpose of amalgamation or reconstruction) shall be passed or presented or if a receiver of such company's undertaking property or assets or any part thereof shall be appointed, the Company shall have the right forthwith to determine any contract then subsisting and upon written notice of such determination being posted to the Buyer's last known address any subsisting Contract shall be deemed to have been determined without prejudice to any claim or right the Company may otherwise make or exercise.

## Export Terms

Where goods are supplied for export from the United Kingdom the following clauses shall (subject to any terms agreed in writing between the Company and the Buyer) apply notwithstanding any other provisions of these Conditions:

- the Buyer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and for the payment of duties on them
- unless otherwise agreed in writing between the Company and the Buyer from the time of dispatch of the Goods from the Company's premises the Goods shall be at risk of the Buyer and the Company shall be under no obligation to give notice under Section 32(3) of the Sale of Goods Act 1979 (as amended).

## Force Majeure

The Company will not be liable to the Buyer for any failure or delay or for the consequence of any failure or delay in performance of the Contract, if it due to or beyond the reasonable control of the Company including, without limitation, acts of God, war, industrial disputes, protests, fire, tempest, explosion, an act of terrorism and national emergencies and the Company will be entitled to a reasonable extension of time for performing such obligations in such circumstances.

## Legal

Any dispute or difference between the parties arising out of the Contract shall first be referred to mediation in accordance with the procedure of IDR Europe Limited and if the parties cannot agree on a mediator either of them may apply to IDR Europe Limited to appoint a mediator. If the parties fail to reach agreement on the dispute within 60 days of the appointment of the mediator the dispute may be referred to the Courts of England and Wales.

The Contract shall in all respects be governed by English Law and shall be deemed to have been made in England and the Buyer and the Company agree (subject to the provisions of clause 34 above) to submit to the exclusive jurisdiction of the English Courts.

## WEEE Collections Policy

The B23 end user is responsible for all the liabilities regarding the environmentally sound disposal of the EEE when it becomes WEEE, the compliance statements are on the product packaging.

The producer has paid no charge to its PCS (producer compliance scheme) for its eventual recovery. However the PCS's disposal contractor is able to provide a cost effective and environmentally sound disposal of all 13 categories of WEEE.





# Genesis

For the Perfect Finish

---

Telefon: 08 96 70 44 Email: [info@tebo.se](mailto:info@tebo.se)  
[www.tebo.se](http://www.tebo.se)

TEBO Byggtillbehör AB - Blygatan 5 - 195 72 - Rosersberg